July 14, 2003

Ms. Gail Ann Cooper USEPA Headquarters 5304W Ariel Rios Building 1200 Pennsylvania Ave. Washington, DC 20460 United States of America



Dear Ms. Cooper:

SUBJECT: DATA VALIDATION REPORT - VPRA PETITION

This letter and the enclosed Data Validation Reports are being sent to you in response to the request for supporting information for the polynuclear aromatic hydrocarbon (PAH) data, which was included in the Petition for Rulemaking, submitted by the Vanadium Producers and Reclaimers Association (VPRA). The PAH information provided in the Petition for Rulemaking was performed using USEPA published methods and followed the Quality Assurance guidelines in the publication Test Methods for Evaluating Solid Waste, Physical/Chemical Methods (SW-846).

The VPRA members collected most of the samples from customer shipments to the recycling facilities. We have removed references to the VPRA member locations, customer names, and laboratory ID numbers from all data reports, as the names of the customers are confidential information. The laboratory performing the work is identified with sample dates and other pertinent information needed for data validation. Four of the twenty-four sample results are data supplied by customers to VPRA members as part of waste characterization. These results are confidential under contractual arrangement between VPRA members and their customers. The data is not provided in this transmittal, as it is third party data. However, a data review/validation report for these four samples is included in this package. The validation report is based on a review of the laboratory data supplied by the VPRA customers.

If you have any questions or need additional information, please contact me.

Sincerely,

Dale Scherger

Consultant for Vanadium Producers and Reclaimers Association

Scherger Associates

Enclosure (1)

das

: John Hilbert, James Allen, and Robert Phelan

Dale a Scheige

DATA VALIDATION REPORT PAH DATA IN SUPPORT OF LDR PETITION FOR VANADIUM PRODUCERS AND RECLAIMERS ASSOCIATION

Introduction

The Vanadium Producers and Reclaimers Association (VPRA), formerly the Ferroalloys Association, conducted a sampling and analysis program to collect data in support of a petition to change the LDRs for spent hydroprocessing catalyst (K171/K172). The program was performed by the members of the VPRA under the guidance of Scherger Associates. The goal of the sampling and analysis program was to collect valid and defensible data on the polynuclear aromatic hydrocarbon (PAH) content of spent hydroprocessing catalyst as regulated by the USEPA under the RCRA LDR regulations, 40 CFR 268. The data produced under this sampling and analysis program was submitted to the USEPA as part of the petition for a change in the LDRs for K171/K172.

USEPA has requested that the summary data submitted in the petition be supported by a data validation report and the lab reports. The samples collected and data obtained is sensitive business information, and customer names and locations are business confidential under agreements with the VPRA members. VPRA member and customer names have been removed from the lab reports in addition to other sensitive information. This reviewer had access to all the information in the original form to perform this validation.

Four of twenty-four sample results (coded M, N, O, P) are from data supplied by customers as part of the waste characterization process. These samples were collected and analyzed by the customer and third party laboratories. This third party data was reviewed based on the laboratory reports provided and a data review/validation report is included herein. However, the laboratory reports are not included, as this information is considered business confidential.

This report provides the results of the data validation process and provides supporting documents, including a validation summary showing key parameters (holding times, QA data, etc.). All of the sampling and analysis procedures were designed to follow the USEPA procedures as described in *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods (SW-846)*.

Sample Plan and Sample Collection

Scherger Associates advised the VPRA members on the proper methods for sample collection, and on proper sample handling and shipping procedures, in order to maintain the integrity of the samples. The LDR requirements specify that grab samples be collected (not composite samples) for testing to determine compliance with the LDRs. The sampling plan specified that grab samples of the spent hydroprocessing catalyst be collected from the bins of material selected for this testing program.

Information on the waste code (K171/K172) was provided by the VPRA customers on the manifests and shipping papers that accompanied the spent catalyst shipment to the recycling facility. The VPRA members provided this information to Scherger Associates.

The VPRA members collected the samples from bins of spent catalyst material received at their facilities. The grab samples were collected using clean scoops or coring devices. Sampling equipment was cleaned after collecting each sample, using detergent, water, and deionized water. Each sample was placed in a clean glass 250 or 500 mL container supplied by the laboratory for the PAH analysis. The sample bottle was labeled with a sample name (letter designation) and sample date. The sampler also maintained a record of the sample name cross referenced to actual source of the catalyst material. The samples were placed in a cooler with ice and sealed. A chain of custody form was filled out by the sampler and accompanied the samples to the laboratory. The coolers were either delivered to the laboratory or shipped by Federal Express overnight. The chain of custody forms were returned by the laboratory with the data packages. These forms have been reviewed and show that all samples were maintained under custody from the time of sample collection until receipt by the laboratory. Coolers were received by the laboratory with ice in them and all sample containers arrived intact. The actual chain of custody forms are not included in this validation package as they contain specific business confidential information.

Based on a review of the sampling plan, the chain of custody records, and discussion with the VPRA members prior to and after sample collection, the samples were collected in accordance with USEPA procedures for the collection of PAH grab samples. All information on sample collection, planning, and all supporting information indicates that proper procedures were followed to collect valid samples for the PAH analyses.

Analytical Results

Pace Laboratories was selected to perform the PAH analysis by Method 8270 (SW846) based on their experience with PAH analysis and with producing data to meet exacting USEPA standards. The laboratory is also experienced in handling samples with oil present in the matrix. Pace performs hundreds of analyses for LDR determination with many of their clients associated with the oil refining industry. The laboratory familiarity with these types of sample matrix was considered important, as spent hydroprocessing catalyst can present analytical difficulties due to inferences from the residual oil in the

catalyst. Pace was informed of the intent of the analytical program, the need for supporting QA data, and information on the sample matrix and the regulatory requirements.

Twenty samples of spent hydroprocessing catalyst were collected and sent to the laboratory for analysis of PAH compounds. The samples results are reported in the LDR petition as Samples A, B, C, D, E, F, G, H, I, J, K, L and W1-W8. All samples were analyzed by Pace Laboratories using USEPA Method 8270 (SW846), which is a GC/MS procedure. The laboratory was informed in advance that the spent catalyst would be a "solid" matrix and possibly contain interfering compounds. They were asked to follow all USEPA procedures and QA, as described in SW846 and required by LDR regulations, and report the all of the data, with a narrative and /or footnotes regarding the analyses as reported by the analyst.

The original laboratory reports and QA/QC reports were used to review and validate the data. Copies of the laboratory reports and QA results are attached with this report. The data validation included review of:

- Sample collection date, sample extraction date, and sample analysis date to verify holding times were met;
- Surrogates results;
- Quantitation limits reported;
- Lab control sample (MS/MSD) results,
- Method blank results: and
- The narrative/footnotes supplied with flagged data.

Table 1 summarizes the review of the quantitative data validation items by this reviewer. The information was obtained from the laboratory reports and compared to the USEPA Methods and QA standards. The samples were received at the laboratory in three shipments. Each shipment of samples (batch) has supporting QA/QC documentation. All samples were extracted and analyzed within acceptable holding times. Surrogates, internal standards, method blanks, lab duplicates, and lab control samples were analyzed at a frequency in accordance with the SW 846 QA requirements and the requirement of Method 8270. Samples that did not have interferences were analyzed to a quantitation limit below the specified LDR for each PAH compound and at levels typical of the method. All of the data is judged valid and is flagged appropriately where needed. The laboratory flags and notations are included in the summary table presented the VPRA LDR petition.

The QA/QC data clearly shows that several of spent hydroprocessing catalyst samples included interfering compounds that required the samples to be diluted prior to analysis. In these cases, the surrogate recoveries could not be quantified. However, in all cases the laboratory provided lab control samples and other supporting data to show that the procedures were in control and the data valid. Some samples contained compounds that interfered with the extract concentration process, (presence of hydrocarbon compounds)

and resulted in elevated quantitation limits. Supporting QA data is supplied by the laboratory with each batch to show that the analytical processes were in control.

Customer Supplied Data - Samples M, N, O, P

Well-known laboratories, with reputations for providing quality data, analyzed all four of the datasets supplied by customers. The laboratory reports showed basic information needed to review and judge the validity of the data. All of the laboratory reports showed the sample collection date, the analysis date, and the report date. All analyses were conducted within required holding times. The laboratory reports also showed the analytical methods used, the sample results, and the laboratory reporting limits (quantitation limit) for each analysis. All analyses were performed using approved USEPA methods for solid waste samples as described in *Test Methods for Evaluating Solid Waste*, *Physical/Chemical Methods (SW-846)*. All PAH analyses were performed using SW-846 Method 8270. Appropriate qualifiers were noted all laboratory reports.

The Sample M data report included surrogates recoveries that were within the acceptance window for the analysis. The sample extract required dilution and the dilution factor of 150 to 1 was shown on the laboratory report. Because of the dilution due to matrix interferences, several of the PAH compounds found in the sample were flagged with a "J" as the results were below the normal laboratory reporting limits, which were elevated well above the LDR due to the dilution factor. The results showed the presence of numerous semi volatile organic compounds including PAH. The data report did not include the results of any matrix spike or matrix spike duplicates, or laboratory control samples. The data did appear consistent with typical spent catalyst results. The laboratory did not report any difficulties with the analysis other than the need to dilute the extract. Overall the analyses for sample M appear to be valid based on the information available.

The Sample N data report included some surrogates recoveries that were within the acceptance window for the analysis and others that could not be reported due to dilution of the extract. The sample extract required dilution and the dilution factor of 4 to 1 was shown on the laboratory report. The results showed the presence of numerous semi volatile organic compounds including the PAH. Several PAH compounds were found in the sample. The PAH results did not have any qualifiers, as the concentrations were above the laboratory reporting limit even after accounting for the dilution factor. The data report did not include the results of any matrix spike or matrix spike duplicates, or laboratory control samples. The data did appear consistent with typical spent catalyst results. The laboratory did not report any difficulties with the analysis other than the need to dilute the extract. Overall the analyses for sample N appear to be valid based on the information available.

Sample O did not have any PAH analyses. The waste characterization was limited to analysis of volatile and semi volatile organics in the leachate from the TCLP procedure and the analysis of total volatiles for a selected group of parameters. This dataset was included in the petition to show that the absence of PAH requirements for K172 results in

waste characterization that is not complete and ignores the currently unregulated PAH compounds.

The Sample P laboratory report did not include a report of surrogate recoveries. It appears the sample extract required dilution with a dilution factor of 100 to 1. Because of the dilution due to matrix interferences, all of the PAH compounds are shown as non detect. However all laboratory reporting limits are above the LDR due to the dilution factor. The results showed the presence of volatile organic compounds. The data report did not include the results of any matrix spike or matrix spike duplicates, or laboratory control samples. The data did appear consistent with typical spent catalyst results. The laboratory did not report any difficulties with the analysis other than the need to dilute the extract. The analyses for sample P appear to be reasonable based on the information available, but could not be fully validated due to the absence of a full QA/QC report for the analyses.

Conclusions

Based on the sampling plan discussed with the VPRA members prior to sample collection, the use of grab samples, appropriate sampling equipment and sample collection containers (glass), and review of the chain of custody forms, the sampling procedures and sample handling are judged to be valid and in accordance with the USEPA recommended sampling procedures for PAH compounds as documented in the USEPA SW-846 publication.

Based on a review of the original chain of custody forms, the original lab reports and supporting QA reports, and discussion with the laboratory, all twenty samples for PAH analysis are judged to be valid and reported properly in accordance with Method 8270 and SW 846 QA requirements.

The four customer supplied datasets present data for spent catalyst that are based on approved USEPA methods performed by reputable commercial laboratories. Samples M and N had sufficient information to partially validate the data and the data appear valid. Sample P data appears to be representative of sound data, but could not be validated due the lack of supporting QA/QC data. The data does appear to be based proper analytical procedures and representative of spent catalyst. Sample O did not contain PAH results and thus was not validated.

Respectively submitted by:

Dale A. Scherger, P.E.

Date: June 30, 2003

6/11/2003

LDR PETITION SAMPLE-DATA VALIDATION REVIEW TABLE 1 SUMMARY OF PACE PAH DATA

	,	
Quantitiaiton Limit Reported	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Method Blank	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable
Lab Duplicate	Acceptable	Acceptable
Lab Control Control Sample	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	Acceptable
Surrogates Reported	YES (1) XES (1) XES (2) XES (3) XES (3	YES (1)
Date Analyzed	3/26/2001 3/26/2001 3/26/2001 3/26/2001 3/26/2001 3/26/2001 3/26/2001 3/26/2001	3/5/2001 3/2/2001 2/17/2001 2/17/2001 2/17/2001 2/17/2001 2/17/2001 2/17/2001
Date Extracted	3/23/2001 3/23/2001 3/23/2001 3/23/2001 3/23/2001 3/23/2001 3/23/2001 3/23/2001	3/1/2001 3/1/2001 2/12/2001 2/12/2001 2/12/2001 2/12/2001 2/12/2001 2/12/2001
Date Collected	3/12/2001 3/12/2001 3/12/2001 3/12/2001 3/12/2001 3/12/2001 3/12/2001 3/12/2001 3/12/2001	2/21/2001 2/21/2001 4/31/2001 1/31/2001 1/31/2001 1/31/2001 1/31/2001
EPA Method	8270 8270 8270 8270 8270 8270 8270 8270	8270 8270 8270 8270 8270 8270 8270 8270
Sample	BATCH 1 Sample K Sample C Sample D Sample E Sample F Sample F Sample H Sample H Sample H	BATCH 2 Sample A Sample B BATCH 3 Sample W1 Sample W2 Sample W3 Sample W4 Sample W6 Sample W6 Sample W6

⁽¹⁾ Surrogates were used in all samples. Recoveries were low or zero due to matrix effects and dilution requirements that were carried throught extraction and analysis. Therefore the lab analysis is judged to be in control. Each batch inlcuded a blank, lab control sample and a lab control duplicate

LDR PETITION SAMPLE- DATA VALIDATION REVIEW

Quantitiaiton Limit Reported	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Yes							
Method Blank	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable		Acceptable							
Lab Duplicate	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable		Acceptable							
Lab Control Control Sample	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable		Acceptable							
Surrogates Reported					YES (1)		YES (1)			YES (1)	YES (1)	YES (1)		YES (1)							
Date Analyzed	3/26/2001	3/26/2001	3/26/2001	3/26/2001	3/26/2001	3/26/2001	3/26/2001	3/26/2001	3/26/2001	3/26/2001	3/5/2001	3/2/2001		2/17/2001	2/17/2001	2/17/2001	2/17/2001	2/17/2001	2/17/2001	2/17/2001	2/17/2001
Date Extracted	3/23/2001	3/23/2001	3/23/2001	3/23/2001	3/23/2001	3/23/2001	3/23/2001	3/23/2001	3/23/2001	3/23/2001	3/1/2001	3/1/2001		2/12/2001	2/12/2001	2/12/2001	2/12/2001	2/12/2001	2/12/2001	2/12/2001	2/12/2001
Date Collected	3/12/2001	3/12/2001	3/12/2001	3/12/2001	3/12/2001	3/12/2001	3/12/2001	3/12/2001	3/12/2001	3/12/2001	2/21/2001	2/21/2001		1/31/2001	1/31/2001	1/31/2001	1/31/2001	1/31/2001	1/31/2001	1/31/2001	1/31/2001
EPA Method	8270	8270	8270	8270	8270	8270	8270	8270	8270	8270	8270	8270		8270							8270
Sample	BATCH 1 Sample K	Sample L	Sample C	Sample D	Sample E	Sample F	Sample G	Sample H	Sample 1	Sample J	 Sample A	Sample B	BATCH 3	Sample W1	Sample W2	Sample W3	Sample W4	Sample W5	Sample W6	Sample W7	Sample W8

⁽¹⁾ Surrogates were used in all samples. Recoveries were low or zero due to matrix effects and dilution requirements that were carried throught extraction and analysis. Therefore the lab analysis is judged to be in control. Each batch inlcuded a blank, lab control sample and a lab control duplicate

Page 1

Scherger Associates Business Confidential

2
ជ
₹
?
×
<u>-</u>
ζ
$\stackrel{\smile}{=}$
H
⋖
흳
コ
⋖
>
⋖
Н
⋖
ON SAMPLE- DATA VALIDATION REVIEW
"
₫
⋝
₹
Ø
>
ਨ
č
F
h
PETITION
-
LDRI
ч

	Quantitiaiton	Limit	Reported		Yes			Yes			Yes	
	Method	Blank		Ø	ž	for review		Not available	for review		Not available	for review
	Lab	Duplicate		(Z)	Not available	for review		Not available Not available Not available	for review		Not available Not available	for review for review
	Lab Control	Control	Sample	<u>(3</u>	Not available	for review		Not available	for review		Not available	for review
Lab reports supplied by Others	Surrogates	Reported			Acceptable			YES (1)			10/20/1999 10/27/1999 Not available	for review
orts supplie	Date	Analyzed			5/23/2000			1/17/2001 1/18/2001			10/27/1999	
Lab rep	Date	Extracted			5/18/2000			1/17/2001			10/20/1999	
	Date	Collected			5/17/2000			8270C 1/17/2001			8270C 10/14/1999	
,	EPA	Method			8270C			8270C			8270C	
	Sample			BATCH 1	Sample M		BATCH 2	Sample N	•	BATCH 3	Sample P	

⁽¹⁾ Surrogates were used in sample. Recoveries were low or zero due to matrix effects and dilution requirements Lab flagged the data and footnoted the data with explanation of dilution requirements

⁽²⁾ LCS, LCSD, Method Blank not included with data report, not available for review.

Quantitialton Limit Reported		
Method Blank	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable
Lab Duplicate	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable
Lab Control Control Sample	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable
Surrogates Reported	YES (3) (4) YES (3) YES (4) YES (3) YE	YES (1) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
Date Analyzed	3/26/2001 3/26/2001 3/26/2001 3/26/2001 3/26/2001 3/26/2001 3/26/2001 3/26/2001	3/5/2001 3/2/2001 2/17/2001 2/17/2001 2/17/2001 2/17/2001 2/17/2001 2/17/2001
Date Extracted	3/23/2001 3/23/2001 3/23/2001 3/23/2001 3/23/2001 3/23/2001 3/23/2001 3/23/2001	3/1/2001 3/1/2001 2/12/2001 2/12/2001 2/12/2001 2/12/2001 2/12/2001 2/12/2001 2/12/2001
Date Collected	3/12/2001 3/12/2001 3/12/2001 3/12/2001 3/12/2001 3/12/2001 3/12/2001 3/12/2001 3/12/2001	2/21/2001 2/21/2001 1/31/2001 1/31/2001 1/31/2001 1/31/2001 1/31/2001
EPA Method	8270 8270 8270 8270 8270 8270 8270 8270	8270 8270 8270 8270 8270 8270 8270 8270
Sample	BATCH 1 Sample K Sample C Sample D Sample E Sample E Sample H Sample H Sample H	BATCH 2 Sample A Sample B BATCH 3 Sample W1 Sample W2 Sample W3 Sample W4 Sample W5 Sample W5 Sample W5

(1) Surrogates were used in all samples. Recoveries were low or zero due to matrix effects and dilution requirements Each batch inlcuded a blank, lab control sample and a lab control duplicate that were carried throught extraction and analysis. Therefore the lab analysis is judged to be in control.

LDR PETITION SAMPLE-DATA VALIDATION REVIEW

,	,ou		יטר									
	Quantitiaiton	Limit	Reported		Yes			Yes			Yes	
	Method	Blank		(5)	Not available	for review		Not available Not available Not available	for review		Not available	for review
	Lab	Duplicate		(2)	Not available	for review		Not available	for review		Not available	for review
	Lab Control	Control	Sample	(2)	Not available	for review		Not available	for review		10/20/1999 10/27/1999 Not available Not available Not available Not available	for review
Lab reports supplied by Others	Surrogates	Reported			Acceptable			YES (1)			Not available	for review
orts supplie	Date	Analyzed			5/23/2000			-1/18/2001			10/27/1999	
Lab rep	Date	Extracted			5/18/2000			1/17/2001			10/20/1999	
		Collected			5/17/2000			1/17/2001		٠	8270C 10/14/1999	
	EPA	Method			8270C			8270C			8270C	•
	Sample			BATCH 1	Sample M		BATCH 2	Sample N		BATCH 3	Sample P	

⁽¹⁾ Surrogates were used in sample. Recoveries were low or zero due to matrix effects and dilution requirements Lab flagged the data and footnoted the data with explanation of dilution requirements

(2) LCS, LCSD, Method Blank not included with data report, not available for review.



Pace Analytical Services, Inc. 1000 Riverbend Blvd, Suite F St. Rose, LA 70087

> Phone: 504.469.0333 Fax: 504.469.0555

March 30, 2001

Client Services Pace Houston 900 Gemini Houston, TX 77058

RE:

Lab Project Number:

Client Project ID:



Dear Services:

Enclosed are the analytical results for sample(s) received by the laboratory on March 15, 2001. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Karen Brown

Project Manager

Enclosures



Pace Analytical Services, Inc.

900 Gemini Avenue Houston, TX 77058

Phone: 281.488.1810 Fax: 281.488.4661

Li

Scherger Associates 12410 Willington Rd. Huntersville, NC 28078 Lab Project Number: Client Project ID:

LDR PetitiON Sample K

Attn: Mr. Dale Scherger Phone: 704-947-7050

Solid results are reported on a wet weight basis

Lab Sample No: Client Sample ID: S		roject Sampl	e Number: M Matrix: So	il		Date Collected: 03/12/01 00:0 Date Received: 03/15/01 08:2			
Parameters	Results	Units	PRL	Dilution	Analyzed	Anal yst	: CAS#	Ftnote	
GC/MS Semivolatiles									
SW8270 Semivolatiles, Soil	Met	thod: EPA 827	70		Prep Method:	EPA 35	50		
Acenaphthene	ND	ug/kg	3330	10.0	03/26/01 03:51	DSHA	83-32-9		
Acenaphthylene	ND	ug/kg	3330	10.0	03/26/01 03:51	DSHA	208-96-8		
Anthracene	ND	ug/kg	3330	10.0	03/26/01 03:51	L DSHA	120-12-7		
Benzo(a)anthracene	ND	ug/kg	3330	10.0	03/26/01 03:51	L DSHA	56-55-3		
Benzo(b)fluoranthene	ND	ug/kg	3330	10.0	03/26/01 03:53	l DSHA	205-99-2		
Benzo(k)fluoranthene	ND	ug/kg	3330	10.0	03/26/01 03:51	l DSHA	207-08-9		
Benzo(g,h,i)perylene	ND	ug/kg	3330	10.0	03/26/01 03:51	L DSHA	191-24-2		
Benzo(a)pyrene	ND	ug/kg	3330	10.0	03/26/01 03:51	L DSHA	50-32-8		
Chrysene	ND ,	ug/kg	3330	10.0	03/26/01 03:53	l DSHA	218-01-9		
Dibenz(a,h)anthracene	ND .	ug/kg	3330	10.0	03/26/01 03:5	L DSHA	53-70-3		
Fluoranthene	ND	ug/kg	3330	10.0	03/26/01 03:53	L DSHA	206-44-0		
Fluorene	ND	ug/kg	3330	10.0	03/26/01 03:53	L DSHA	86-73-7		
Indeno(1,2,3-cd)pyrene	ND	ug/kg	3330	10.0	03/26/01 03:5	l DSHA	193-39-5		
Naphthalene	ND	ug/kg	3330	10.0	03/26/01 03:5	l DSHA	91-20-3		
Phenanthrene	ND	ug/kg	3330	10.0	03/26/01 03:5	1 DSHA	85-01-8		
Pyrene	ND	ug/kg	3330	10.0	03/26/01 03:5	l DSHA	129-00-0		
Nitrobenzene-d5 (S)	94	*		1.0	03/26/01 03:5	1 DSHA	4165-60-0		
2-Fluorobiphenyl (S)	0	%		1.0	03/26/01 03:5	1 DSHA	321-60-8		
Terphenyl-d14 (S)	0	%		1.0	03/26/01 03:5	l DSHA	1718-51-0		
Phenol-d5 (S)	75	*		1.0	03/26/01 03:5		4165-62-2		
2-Fluorophenol (S)	55	*		1.0	03/26/01 03:5	1 DSHA	367-12-4		
2,4,6-Tribromophenol (S)	0	*		1.0	03/26/01 03:5	1 DSHA	118-79-6		
Date Extracted					03/23/01				

Comments: The sample extract could not be concentrated to the normal final volume for 8270. This results in elevated PRI Internal standard and surrogate failure attributed to matrix interference based on visual review of the chromatogram (SW8270).

Date: 03/30/01

Page: 1

REPORT OF LABORATORY ANALYSIS



LDR PetitiON SAMPLE K

Pace Analytical Services, Inc.

900 Gemini Avenue Houston, TX 77058

Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: Client Project ID:

Lab Sample No: -

Anna Production .

Project Sample Number: 1

Matrix: Soil

Date Collected: 03/12/01 00:00

Date Received: 03/15/01 08:25

Herry mes.

· FORENCE CO

Date: 03/30/01

Page: 2

REPORT OF LABORATORY ANALYSIS



LDR Petition Sample L

Pace Analytical Services, Inc.

900 Gemini Avenue Houston, TX 77058

Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: Client Project ID:

Lab Sample No:

Client Sample ID: 1

Project Sample Number: -

Matrix: Soil

Date Collected: 03/12/01 00:00

Date Received: 03/15/01 08:25

Parameters

Results

Units

PRL

Dilution

Anal yzed

Analyst CAS#

Ftnote

GC/MS Semivolatiles

SW8270 Semivolatiles, Soil	М	ethod: EPA 827	70		Prep Method:	EPA 35	50
Acenaphthene	ND	ug/kg	32400	97.2 5	03/26/01 09:23	DSHA	83-32-9
Acenaphthylene	ND	ug/kg	32400	97.2	03/26/01 09:23	DSHA	208-96-8
Anthracene	ND	ug/kg	32400	97.2	03/26/01 09:23	DSHA	120-12-7
Benzo(a)anthracene	ND	ug/kg	32400	97.2	03/26/01 09:23	DSHA	56-55-3
Benzo(b)fluoranthene	ND	ug/kg	32400	97.2	03/26/01 09:23	DSHA	205-99-2
Benzo(k)fluoranthene	ND	ug/kg	32400	97.2	03/26/01 09:23	DSHA	207-08-9
Benzo(g,h,i)perylene	ND	ug/kg	32400	97.2	03/26/01 09:23	DSHA	191-24-2
Benzo(a)pyrene	ND	ug/kg	32400	97.2	03/26/01 09:23	DSHA	50-32-8
Chrysene	ND	ug/kg	32400	97.2	03/26/01 09:23	DSHA	218-01-9
Dibenz(a,h)anthracene	ND	ug/kg	32400	97.2	03/26/01 09:23	DSHA	53-70-3
Fluoranthene	ND	ug/kg	32400	97.2	03/26/01 09:23	DSHA	206-44-0
Fluorene	ND	ug/kg	32400	97.2	03/26/01 09:23	DSHA	86-73-7
Indeno(1,2,3-cd)pyrene	ND	ug/kg	32400	97.2	03/26/01 09:23	DSHA	193-39-5
Naphthalene	ND	ug/kg	32400	97.2	03/26/01 09:23	DSHA	91-20-3
Phenanthrene	ND	ug/kg	32400	97.2	03/26/01 09:23	DSHA	85-01-8
Pyrene	ND	ug/kg	32400	97.2	03/26/01 09:23	DSHA	129-00-0
Nitrobenzene-d5 (S)	0	*		1.0	03/26/01 09:23	DSHA	4165-60-0
2-Fluorobiphenyl (S)	0	%		1.0	03/26/01 09:23	DSHA	321-60-8
Terphenyl -d14 (S)	0	*		1.0	03/26/01 09:23	DSHA	1718-51-0
Pheno1-d5 (S)	0	%		1.0	03/26/01 09:23	DSHA	4165-62-2
2-Fluorophenol (S)	0	%		1.0	03/26/01 09:23	DSHA	367-12-4
2,4,6-Tribromophenol (S)	0	%		1.0	03/26/01 09:23	DSHA	118-79-6
Date Extracted					03/23/01		

Comments: The sample extract could not be concentrated to the normal final volume for 8270. This results in elevated PRLs Sample was diluted due to high concentrations of non-target compounds, resulting in higher PRL's and no surrogate recovery (SW8270).

Date: 03/30/01

Page: 3

REPORT OF LABORATORY ANALYSIS



LDR PetitiON Sample C

Pace Analytical Services, Inc. 900 Gemini Avenue

Houston, TX 77058

Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: 4

Client Project ID: 1

Lab Sample No: Client Sample ID:

Project Sample Number: 1

Matrix: Soil

Date Collected: 03/12/01 00:00

Date Received: 03/15/01 08:25

Parameters

Results

Units

PRL.

Dilution

Anal yzed

Analyst

CAS#

Ftnote Lim

GC/MS Semivolatiles

SW8270 Semivolatiles, Soil		Method: EPA 82	70		Prep Method:	EPA 35	50
Acenaphthene	ND	ug/kg	33000	99.1	03/26/01 10:05	DSHA	83-32-9
Acenaphthylene	ND	ug/kg	33000	99.1	03/26/01 10:05	DSHA	208-96-8
Anthracene	ND	ug/kg	33000	99.1	03/26/01 10:05	DSHA	120-12-7
Benzo(a)anthracene	ND	ug/kg	33000	99.1	03/26/01 10:05	DSHA	56-55-3
Benzo(b)fluoranthene	ND	ug/kg	33000	99.1	03/26/01 10:05	DSHA	205-99-2
Benzo(k)fluoranthene	ND	ug/kg	33000	99.1	03/26/01 10:05	DSHA	207-08-9
Benzo(g,h,i)perylene	ND	ug/kg	33000	99.1	03/26/01 10:05	DSHA	191-24-2
Benzo(a)pyrene	ND	ug/kg	33000	99.1	03/26/01 10:05	DSHA	50-32-8
Chrysene	ND	ug/kg	33000	99.1	03/26/01 10:05	DSHA	218-01-9
Dibenz(a,h)anthracene	· ND	ug/kg	33000	99.1	03/26/01 10:05	DSHA	53-70-3
Fluoranthene	ND	ug/kg	33000	99.1	03/26/01 10:05	DSHA	206-44-0
Fluorene	ND	ug/kg	33000	99.1	03/26/01 10:05	DSHA	86-73-7
Indeno(1,2,3-cd)pyrene	ND	ug/kg	33000	99.1	03/26/01 10:05	DSHA	193-39-5
Naphthalene	ND	ug/kg	33000	99.1	03/26/01 10:05	DSHA	91-20-3
Phenanthrene	ND	ug/kg	33000	99.1	03/26/01 10:05	DSHA	85-01-8
Pyrene	ND	ug/kg	33000	99.1	03/26/01 10:05	DSHA	129-00-0
Nitrobenzene-d5 (S)	0	*		1.0	03/26/01 10:05	DSHA	4165-60-0
2-Fluorobiphenyl (S)	0	*		1.0	03/26/01 10:05	DSHA	321-60-8
Terphenyl-d14 (S)	0	*		1.0	03/26/01 10:05	DSHA	1718-51-0
Pheno1-d5 (S)	0	%		1.0	03/26/01 10:05	DSHA	4165-62-2
2-Fluorophenol (S)	0	*		1.0	03/26/01 10:05	DSHA	367-12-4
2.4.6-Tribromophenol (S)	0	%		1.0	03/26/01 10:05	DSHA	118-79-6
Date Extracted					03/23/01		

Comments: The sample extract could not be concentrated to the normal final volume for 8270. This results in elevated PRLs. Sample was diluted due to high concentrations of non-target compounds, resulting in higher PRL's and no surrogate recovery (SW8270).

Date: 03/30/01

Page: 4

REPORT OF LABORATORY ANALYSIS



LDR PetitiON Sample

Pace Analytical Services, Inc. 900 Gemini Avenue Houston, TX 77058

> Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: 4 Client Project ID: 4

Lab Sample No: Client Sample ID:

Project Sample Number: 4

Matrix: Soil

Date Collected: 03/12/01 00:00

Date Received: 03/15/01 08:25

Parameters

Results

Units

Dilution

Analyzed

Analyst

CAS#

Ftnote Lin

GC/MS Semivolatiles

SW8270 Semivolatiles, Soil	Me	ethod: EPA 827	70		Prep Method:	EPA 35	50
Acenaphthene	ND	ug/kg	32800	98.6	03/26/01 08:00	DSHA	83-32-9
Acenaphthylene	ND	ug/kg	32800	98.6	03/26/01 08:00	DSHA	208-96-8
Anthracene	ND	ug/kg	32800	98.6	03/26/01 08:00	DSHA	120-12-7
Benzo(a)anthracene	ND	ug/kg	32800	98.6	03/26/01 08:00	DSHA	56-55-3
Benzo(b) fluoranthene	ND	ug/kg	32800	98.6	03/26/01 08:00	DSHA	205-99-2
Benzo(k)fluoranthene	ND	ug/kg	32800	98.6	03/26/01 08:00	DSHA	207-08-9
Benzo(g,h,i)perylene	ND	ug/kg	32800	98.6	03/26/01 08:00	DSHA	191-24-2
Benzo(a)pyrene	ND	ug/kg	32800	98.6	03/26/01 08:00	DSHA	50-32-8
Chrysene	ND	ug/kg	32800	98.6	03/26/01 08:00	DSHA	218-01-9
Dibenz(a,h)anthracene	ND	ug/kg	32800	98.6	03/26/01 08:00	DSHA	53-70-3
Fluoranthene	ND	ug/kg	32800	98.6	03/26/01 08:00	DSHA	206-44-0
Fluorene	ND	ug/kg	32800	98.6	03/26/01 08:00	DSHA	86-73-7
Indeno(1,2,3-cd)pyrene	ND	ug/kg	32800	98.6	03/26/01 08:00	DSHA	193-39-5
Naphthalene	ND	ug/kg	32800	98.6	03/26/01 08:00	DSHA	91-20-3
Phenanthrene	ND	ug/kg	32800	98.6	03/26/01 08:00	DSHA	85-01-8
Pyrene	ND	ug/kg	32800	98.6	03/26/01 08:00	DSHA	129-00-0
Nitrobenzene-d5 (S)	0	* *		1.0	03/26/01 08:00	DSHA	4165-60-0
2-Fluorobiphenyl (S)	0	%		1.0	03/26/01 08:00	DSHA	321-60-8
Terpheny1-d14 (S)	0	*		1.0	03/26/01 08:00	DSHA	1718-51-0
Pheno1-d5 (S)	0	%		1.0	03/26/01 08:00	DSHA	4165-62-2
2-Fluorophenol (S)	0	*		1.0	03/26/01 08:00	DSHA	367-12-4
2,4,6-Tribromophenol (S)	. 0	%		1.0	03/26/01 08:00	DSHA	118-79-6
Date Extracted					03/23/01		

Comments : The sample extract could not be concentrated to the normal final volume for 8270. This results in elevated PRLs Sample was diluted due to high concentrations of non-target compounds, resulting in higher PRL's and no surrogate recovery (SW8270).

Date: 03/30/01

Page: 5

REPORT OF LABORATORY ANALYSIS



LDR PetitiEN Sample E

Pace Analytical Services, Inc. 900 Gemini Avenue

Houston, TX 77058

Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: 4 Client Project ID: 3

Lab Sample No:

Client Sample ID:

Project Sample Number: 1

Matrix: Soil

Date Collected: 03/12/01 00:00

Date Received: 03/15/01 08:25

Parameters

Results

Units

PRL

Dilution

Analyzed

Analyst

CAS#

Ftnote

GC/MS Semivolatiles

SW8270 Semivolatiles, Soil	Me	ethod: EPA 8270)		Prep Method:	EPA 35	50
Acenaphthene	ND	ug/kg	330.	1.0	03/26/01 04:33	DSHA	
Acenaphthylene	ND	ug/kg	330.	1.0	03/26/01 04:33	DSHA	208-96-8
Anthracene	ND	ug/kg	330,	1.0	03/26/01 04:33	DSHA	120-12-7
Benzo(a)anthracene	ND	ug/kg	330.	1.0	03/26/01 04:33	DSHA	56-55-3
Benzo(b)fluoranthene	ND	ug/kg	330.	1.0	03/26/01 04:33	DSHA	205-99-2
Benzo(k)fluoranthene	ND	ug/kg	330.	1.0	03/26/01 04:33	DSHA	207-08-9
Benzo(g,h,i)perylene	ND	ug/kg	330.	1.0	03/26/01 04:33	DSHA	191-24-2
Benzo(a)pyrene	ND	ug/kg	330.	1.0	03/26/01 04:33	DSHA	50-32-8
Chrysene	ND	ug/kg	330.	1.0	03/26/01 04:33	DSHA	218-01-9
Dibenz(a,h)anthracene	ND	ug/kg	330.	1.0	03/26/01 04:33	DSHA	53-70-3
Fluoranthene	ND	ug/kg	330.	1.0	03/26/01 04:33	DSHA	206-44-0
Fluorene	ND	ug/kg	330.	1.0	03/26/01 04:33	DSHA	86-73-7
Indeno(1,2,3-cd)pyrene	ND	ug/kg	330.	1.0	03/26/01 04:33	DSHA	193-39-5
Naphthalene	485.	ug/kg	330.	1.0	03/26/01 04:33	DSHA	91-20-3
Phenanthrene	ND	ug/kg	330.	1.0	03/26/01 04:33	DSHA	85-01-8
Pyrene	ND	ug/kg	330.	1.0	03/26/01 04:33	DSHA	129-00-0
Nitrobenzene-d5 (S)	86	*		1.0	03/26/01 04:33	DSHA	4165-60-0
2-Fluorobiphenyl (S)	0	*		1.0	03/26/01 04:33	DSHA	321-60-8
Terphenyl-d14 (S)	0	%		1.0	03/26/01 04:33	DSHA	1718-51-0
Phenol-d5 (S)	59	*		1.0	03/26/01 04:33	DSHA	4165-62-2
2-Fluorophenol (S)	51	*		1.0	03/26/01 04:33	DSHA	367-12-4
2,4,6-Tribromophenol (S)	0	*		1.0	03/26/01 04:33	DSHA	118-79-6
Date Extracted		*			03/23/01		

Comments : Internal standard and surrogate failure attributed to matrix interference based on visual review of the chromatogram (SW8270).

Date: 03/30/01

Page: 6

REPORT OF LABORATORY ANALYSIS



LDR PetitiON Sample F

Pace Analytical Services, Inc. 900 Gemini Avenue

Houston, TX 77058

Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: Client Project ID: 1

Lab Sample No: Client Sample ID: Project Sample Number: # Matrix: Soil

PRL

Date Collected: 03/12/01 00:00 Date Received: 03/15/01 08:25

Parameters

Results

Units

Dilution

Analyzed

Analyst

CAS#

Ftnote Li

GC/MS Semivolatiles

SW8270 Semivolatiles, Soil		Method: EPA	8270		Prep Method:	EPA 35	50
Acenaphthene	ND	ug/kg	33200	99.6	03/26/01 08:42	DSHA	83-32-9
Acenaphthylene	ND	ug/kg	33200	99.6	03/26/01 08:42	DSHA	208-96-8
Anthracene	ND	ug/kg	33200	99.6	03/26/01 08:42	DSHA	120-12-7
Benzo(a)anthracene	ND	. ug/kg	33200	99.6	03/26/01 08:42	DSHA	56-55-3
Benzo(b)fluoranthene	ND	ug/kg	33200	99.6	03/26/01 08:42	DSHA	205-99-2
Benzo(k)fluoranthene	ND	ug/kg	33200	99.6	03/26/01 08:42	DSHA	207-08-9
Benzo(g,h,i)perylene	ND	ug/kg	33200	99.6	03/26/01 08:42	DSHA	191-24-2
Benzo(a)pyrene	ND	ug/kg	33200	99.6	03/26/01 08:42	DSHA	50-32-8
Chrysene	ND	ug/kg	33200	99.6	03/26/01 08:42	DSHA	218-01-9
Dibenz(a,h)anthracene	ND	ug/kg	33200	99.6	03/26/01 08:42	DSHA	53-70-3
Fluoranthene	ND	ug/kg	33200	99.6	03/26/01 08:42	DSHA	206-44-0
Fluorene	ND	ug/kg	33200	99.6	03/26/01 08:42	DSHA	86-73-7
Indeno(1,2,3-cd)pyrene	ND	ug/kg	33200	99.6	03/26/01 08:42	DSHA	193-39-5
Naphthalene	ND	ug/kg	33200	99.6	03/26/01 08:42	DSHA	91-20-3
Phenanthrene	ND	ug/kg	33200	99.6	03/26/01 08:42	DSHA	85-01-8
Pyrene	ND	ug/kg	33200	99.6	03/26/01 08:42	DSHA	129-00-0
Nitrobenzene-d5 (S)	0	%		1.0	03/26/01 08:42	DSHA	4165-60-0
2-Fluorobiphenyl (S)	0	*		1.0	03/26/01 08:42	DSHA	321-60-8
Terphenyl-d14 (S)	0	*		1.0	03/26/01 08:42	DSHA	1718-51-0
Pheno1-d5 (S)	0	*		1.0	03/26/01 08:42	DSHA	4165-62-2
2-Fluorophenol (S)	0	×		1.0	03/26/01 08:42	DSHA	367-12-4
2.4.6-Tribromophenol (S)	0	%		1.0	03/26/01 08:42	DSHA	118-79-6
Date Extracted					03/23/01		
Community The community of the	~ · ·						

Comments: The sample extract could not be concentrated to the normal final volume for 8270. This results in elevated PRLs Sample was diluted due to high concentrations of non-target compounds, resulting in higher PRL's and no surrogate recovery (SW8270).

Date: 03/30/01

Page: 7

REPORT OF LABORATORY ANALYSIS



LDR PetitiON Sample G

Pace Analytical Services, Inc. 900 Gemini Avenue Houston, TX 77058

> Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: 4 Client Project ID: 1

Lab Sample No:

Project Sample Number:

Matrix: Soil

Date Collected: 03/12/01 00:00

Date Received: 03/15/01 08:25

Parameters

Client Sample ID:

Results

Units

PRL

Dilution

Anal yzed

Analyst

CAS#

Ftnote Lim

GC/MS Semivolatiles

SW8270 Semivolatiles, Soil	1	Method: EPA 827	70		Prep Method:	EPA 35	50
Acenaphthene	ND	ug/kg	32500	97.7	03/26/01 10:47	DSHA	83-32-9
Acenaphthylene	ND	ug/kg	32500	97.7	03/26/01 10:47	DSHA	208-96-8
Anthracene	ND	ug/kg	32500	97.7	03/26/01 10:47	DSHA	120-12-7
Benzo(a)anthracene	ND	ug/kg	32500	97.7	03/26/01 10:47	DSHA	56-55-3
Benzo(b)fluoranthene	ND	ug/kg	32500	97.7	03/26/01 10:47	DSHA	205-99-2
Benzo(k)fluoranthene	ND	ug/kg	32500	97.7	03/26/01 10:47	DSHA	207-08-9
Benzo(g,h,ì)perylene	ND	ug/kg	32500	97.7	03/26/01 10:47	DSHA	191-24-2
Benzo(a)pyrene	ND	ug/kg	32500	97.7	03/26/01 10:47	DSHA	50-32-8
Chrysene	ND	ug/kg	32500	97.7	03/26/01 10:47	DSHA	218-01-9
Dibenz(a,h)anthracene	ND	ug/kg	32500	97.7	03/26/01 10:47	DSHA	53-70-3
Fluoranthene	ND	ug/kg	32500	97.7	03/26/01 10:47	DSHA	206-44-0
Fluorene	ND	ug/kg	32500	97.7	03/26/01 10:47	DSHA	86-73-7
Indeno(1,2,3-cd)pyrene	ND	ug/kg	32500	97.7	03/26/01 10:47	DSHA	193-39-5
Naphthalene	ND	ug/kg	32500	97.7	03/26/01 10:47	DSHA	91-20-3
Phenanthrene	ND	ug/kg	32500	97.7	03/26/01 10:47	DSHA	85-01-8
Pyrene	ND	ug/kg	32500	97.7	03/26/01 10:47	DSHA	129-00-0
Nitrobenzene-d5 (S)	0	%		1.0	03/26/01 10:47	DSHA	4165-60-0
2-Fluorobiphenyl (S)	0	%		1.0	03/26/01 10:47	DSHA	321-60-8
Terphenyl-d14 (S)	0	*		1.0	03/26/01 10:47	DSHA	1718-51-0
Pheno1-d5 (S)	0	%		1.0	03/26/01 10:47	DSHA	4165-62-2
2-Fluorophenol (S)	0	%		1.0	03/26/01 10:47	DSHA	367-12-4
2.4,6-Tribromophenol (S)	0	%		1.0	03/26/01 10:47	DSHA	118-79-6
Date Extracted					03/23/01	,	

Comments : Sample was diluted due to high concentrations of non-target compounds, resulting in higher PRL's and no surrogate recovery (SW8270).

Date: 03/30/01

Page: 8

REPORT OF LABORATORY ANALYSIS



LDR PetitiON Sample H

Pace Analytical Services, Inc. 900 Gemini Avenue Houston, TX 77058

> Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: 1 Client Project ID: 1

Lab Sample No:

Client Sample ID:

Project Sample Number: 4

Matrix: Soil

Date Collected: 03/12/01 00:00

Date Received: 03/15/01 08:25

Parameters

Results

Units

Analyzed

CAS# Analyst

Dilution

Ftnote Lii

GC/MS Semivolatiles

SW8270 Semivolatiles, Soil	M	fethod: EPA 8270			Prep Method:	EPA 35	50
Acenaphthene	ND	ug/kg	332.	1.0	03/26/01 07:18	DSHA	83-32-9
Acenaphthylene	ND	ug/kg	332.	1.0	03/26/01 07:18	DSHA	208-96-8
Anthracene	ND	ug/kg	332.	1.0	03/26/01 07:18	DSHA	120-12-7
Benzo(a)anthracene	ND	ug/kg	332.	1.0	03/26/01 07:18	DSHA	56-55-3
Benzo(b)fluoranthene	ND	ug/kg	332.	1.0	03/26/01 07:18	DSHA	205-99-2
Benzo(k)fluoranthene	ND	ug/kg	332	1.0	03/26/01 07:18	DSHA	207-08-9
Benzo(g.h.i)perylene	ND	ug/kg	332.	1.0	03/26/01 07:18	DSHA	191-24-2
Benzo(a)pyrene	ND	ug/kg	332.	1.0	03/26/01 07:18	DSHA	50-32-8
Chrysene	ND	ug/kg	332.	1.0	03/26/01 07:18	DSHA	218-01-9
Dibenz(a,h)anthracene	ND	ug/kg `	332.	1.0	03/26/01 07:18	DSHA	53-70-3
Fluoranthene	-ND	ug/kg	332.	1.0	03/26/01 07:18	DSHA	206-44-0
Fluorene	ND	ug/kg	332.	1.0	03/26/01 07:18	DSHA	86-73-7
Indeno(1,2,3-cd)pyrene	ND	ug/kg	332.	1.0	03/26/01 07:18	DSHA	193-39-5
Naphthalene	ND	ug/kg	332.	1.0	03/26/01 07:18	DSHA	91-20-3
Phenanthrene	ND	ug/kg	332.	1.0	03/26/01 07:18	DSHA	85-01-8
Pyrene	3700	ug/kg	332.	1.0	03/26/01 07:18	DSHA	129-00-0
Nitrobenzene-d5 (S)	81	*		1.0	03/26/01 07:18	DSHA	4165-60-0
2-Fluorobiphenyl (S)	70	*		1.0	03/26/01 07:18	DSHA	321-60-8
Terphenyl-d14 (S)	177	*		1.0	03/26/01 07:18	DSHA	1718-51-0
Pheno1-d5 (S)	66	*		1.0	03/26/01 07:18	DSHA	4165-62-2
2-Fluorophenol (S)	7 5	%		1.0	03/26/01 07:18	DSHA	367-12-4
2.4.6-Tribromophenol (S)	48	Z		1.0	03/26/01 07:18	DSHA	118-79-6
Date Extracted					03/23/01		

Comments: High surogate recovery attributed to matrix effect (8270).

Date: 03/30/01

Page: 9

REPORT OF LABORATORY ANALYSIS



LDR PetitiON SAMPLE I

Pace Analytical Services, Inc. 900 Gemini Avenue Houston, TX 77058

> Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: Client Project ID:

Lab Sample No: **g**Client Sample ID: **a**

Project Sample Number:

Matrix: Soil

Date Collected: 03/12/01 00:00

Date Received: 03/15/01 08:25

Parameters

Results

Units

PRL

Dilution

Anal yzed

Analyst

CAS# F

Ftnote Li

GC/MS Semivolatiles

SW8270 Semivolatiles, Soil		Method: EPA 8270			Prep Method:	EPA 35	50
Acenaphthene	ND	ug/kg	33000	99.2	03/26/01 11:29		
Acenaphthylene	ND	ug/kg	33000	99.2	03/26/01 11:29	DSHA	208-96-8
Anthracene	ND	ug/kg	33000	99.2	03/26/01 11:29	DSHA	120-12-7
Benzo(a)anthracene	ND	ug/kg	33000	99.2	03/26/01 11:29	DSHA	56-55-3
Benzo(b)fluoranthene	ND	ug/kg	33000	99.2	03/26/01 11:29	DSHA	205-99-2
Benzo(k)fluoranthene	ND	ug/kg	33000	99.2	03/26/01 11:29	DSHA	207-08-9
Benzo(g,h,i)perylene	ND	ug/kg	33000	99.2	03/26/01 11:29	DSHA	191-24-2
Benzo(a)pyrene	ND	ug/kg	33000	99.2	03/26/01 11:29	DSHA	50-32-8
Chrysene	ND	ug/kg	33000	99.2	03/26/01 11:29	DSHA	218-01-9
Dibenz(a,h)anthracene	ND	ug/kg	33000	99.2	03/26/01 11:29	DSHA	53-70-3
Fluoranthene	ND	ug/kg	33000	99.2	03/26/01 11:29	DSHA	206-44-0
Fluorene	ND	ug/kg	33000	99.2	03/26/01 11:29	DSHA	86-73-7
Indeno(1,2,3-cd)pyrene	ND	ug/kg	33000	99.2	03/26/01 11:29	DSHA	193-39-5
Naphthalene	ND	ug/kg	33000	99.2	03/26/01 11:29	DSHA	91-20-3
Phenanthrene	ND	ug/kg	33000	99.2	03/26/01 11:29	DSHA	85-01-8
Pyrene	ND	ug/kg	33000	99.2	03/26/01 11:29	DSHA	129-00-0
Nitrobenzene-d5 (S)	0	*		1.0	03/26/01 11:29	DSHA	4165-60-0
2-Fluorobiphenyl (S)	0	%		1.0	03/26/01 11:29	DSHA	321-60-8
Terpheny1-d14 (S)	0	*		1.0	03/26/01 11:29	DSHA	1718-51-0
Pheno1-d5 (S)	0	*		1.0	03/26/01 11:29	DSHA	4165-62-2
2-Fluorophenol (S)	0	%		1.0	03/26/01 11:29	DSHA	367-12-4
2.4,6-Tribromophenol (S)	0	*		1.0	03/26/01 11:29	DSHA	118-79-6
Date Extracted					03/23/01		

Comments: Sample was diluted due to high concentrations of non-target compounds, resulting in higher PRL's and no surrogate recovery (SW8270).

Sample was diluted due to high concentrations of non-target compounds, resulting in higher PRL's and no surrogate recovery (SW8270).

Date: 03/30/01

Page: 10

REPORT OF LABORATORY ANALYSIS



LDR Petition Sample J

Pace Analytical Services, Inc.

900 Gemini Avenue Houston, TX 77058

Phone: 281.488.1810 Fax: 281.488.4661

Ftnote Lin

Lab Project Number: 7 Client Project ID: 4

Analyzed

Dilution

Lab Sample No: Client Sample ID:

Project Sample Number: 8

Matrix: Soil

Date Collected: 03/12/01 00:00

Analyst

Parameters Results Units

PRL

Date Received: 03/15/01 08:25

CAS#

GC/MS Semivolatiles

SW8270 Semivolatiles. Soil	Mot	:hod: EPA 82	70		Dres Mathed	FDA SE	ΕΛ.
			,	000	Prep Method:		
Acenaphthene	ND	ug/kg	332000	998	03/26/01 12:10	DSHA	83-32-9
Acenaphthylene	ND	ug/kg	332000	998	03/26/01 12:10	DSHA	208-96-8
Anthracene	ND	ug/kg	332000	998	03/26/01 12:10	DSHA	120-12-7
Benzo(a)anthracene	ND	ug/kg	332000	998	03/26/01 12:10	DSHA	56-55-3
Benzo(b)fluoranthene	ND	ug/kg	332000	998	03/26/01 12:10	DSHA	205-99-2
Benzo(k)fluoranthene	ND	ug/kg	332000	998	03/26/01 12:10	DSHA	207-08-9
Benzo(g,h,i)perylene	ND	ug/kg	332000	998	03/26/01 12:10	DSHA	191-24-2
Benzo(a)pyrene	ND	ug/kg	332000	998	03/26/01 12:10	DSHA	50-32-8
Chrysene	ND	ug/kg	332000	998	03/26/01 12:10	DSHA	218-01-9
Dibenz(a,h)anthracene	ND	ug/kg	332000	998	03/26/01 12:10	DSHA	53-70-3
Fluoranthene	ND	ug/kg	332000	998	03/26/01 12:10	DSHA	206-44-0
Fluorene	ND	ug/kg	332000	998	03/26/01 12:10	DSHA	86-73-7
Indeno(1,2,3-cd)pyrene	. ND	ug/kg	332000	998	03/26/01 12:10	DSHA	193-39-5
Naphthalene	ND	ug/kg	332000	998	03/26/01 12:10	DSHA	91-20-3
Phenanthrene	ND	ug/kg	332000	998	03/26/01 12:10	DSHA	85-01-8
Pyrene	ND	ug/kg	332000	998	03/26/01 12:10	DSHA	129-00-0
Nitrobenzene-d5 (S)	0	%		1.0	03/26/01 12:10	DSHA	4165-60-0
2-Fluorobiphenyl (S)	0	%		1.0	03/26/01 12:10	DSHA	321-60-8
Terpheny1-d14 (S)	0	%		1.0	03/26/01 12:10	DSHA	1718-51-0
Pheno1-d5 (S)	0	%		1.0	03/26/01 12:10	DSHA	4165-62-2
2-Fluorophenol (S)	0	%		1.0	03/26/01 12:10	DSHA	367-12-4
2.4,6-Tribromophenol (S)	0	*		1.0	03/26/01 12:10	DSHA	118-79-6
Date Extracted					03/23/01		

Comments: The sample extract could not be concentrated to the normal final volume for 8270. This results in elevated PRLs Sample was diluted due to high concentrations of non-target compounds, resulting in higher PRL's and no surrogate recovery (SW8270).

Date: 03/30/01

Page: 11

REPORT OF LABORATORY ANALYSIS



Pace Analytical Services, Inc.

900 Gemini Avenue Houston, TX 77058

Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: Client Project ID:

PARAMETER FOOTNOTES

ND Not Detected
NC Not Calculable
PRL Pace Reporting Limit

(S) Surrogate

Date: 03/30/01

Page: 12

REPORT OF LABORATORY ANALYSIS



QUALITY CONTROL DATA

Pace Analytical Services, Inc. 900 Gemini Avenue Houston, TX 77058

> Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number:

Client Project ID:

QC Batch: 50503

Analysis Method: EPA 8270

Associated Lab Samples:

QC Batch Method: EPA 3550

Analysis Description: SW8270 Semivolatiles, Soil

MATERIA) STANDARD CONTROL SUBSTITUTE STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD S

METHOD BLANK: 851683354 Associated Lab Samples:

Associated Lab Samples.
Method
Blank
Parameter Units Result PRL Footnotes
Acenaphthene ug/kg ND 333
Acenaphthylene ug/kg ND 333
Anthracene ug/kg ND 333
Benzo(a)anthracene ug/kg ND 333
Benzo(b)fluoranthene ug/kg ND 333
Benzo(k)fluoranthene ug/kg ND 333
Benzo(g,h,i)perylene ug/kg ND 333
Benzo(a)pyrene ug/kg ND 333
Chrysene ug/kg ND 333
Dibenz(a,h)anthracene ug/kg ND 333
Fluoranthene ug/kg ND 333
Fluorene ug/kg ND 333
Indeno(1,2,3-cd)pyrene ug/kg ND 333
Naphthalene ug/kg ND 333
Phenanthrene ug/kg ND 333
Pyrene ug/kg ND 333
Nitrobenzene-d5 (S) % 96
2-Fluorobiphenyl (S) % 78
Terpheny1-d14 (S) % 66
Pheno1-d5 (S) % 78
2-Fluorophenol (S) \$ 92
2.4.6-Tribromophenol (S) % 47

Date: 03/30/01

Page: 13

REPORT OF LABORATORY ANALYSIS



QUALITY CONTROL DATA

Pace Analytical Services, Inc. 900 Gemini Avenue Houston, TX 77058

> Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number:

Client Project ID: 1

LABORATORY CONTROL SAMPLE &	LCSD:						Spike		
		Spike	LCS	Spike	LCSD	Dup			
Parameter	Units	Conc.	Result	% Rec	Result	% Rec	RPD	Footnotes	
Acenaphthene	ug/kg	666.7	480.5	72	465.1	70	3		
Acenaphthylene	ug/kg	666.7	445.2	67	442.1	66	1		
Anthracene	ug/kg	666.7	454.9	68	462.8	69	2		
Benzo(a)anthracene	ug/kg	666.7	473.1	71	464.2	70	2		
Benzo(b)fluoranthene	ug/kg	666.7	446.2	67	508.5	76	13	,	
Benzo(k)fluoranthene	ug/kg	666.7	481.6	72	548.7	82	13		
Benzo(g,h,i)perylene	ug/kg	666.7	560.9	84	549.6	82	2		
Benzo(a)pyrene	ug/kg	666.7	535.6	80	530.4	80	1		
Chrysene	ug/kg	666.7	567.4	85	521.9	78	8		
Dibenz(a,h)anthracene	ug/kg	666.7	551.4	83	533.6	80	3		
Fluoranthene	ug/kg	666.7	484.5	73	480.4	72	1		
Fluorene	ug/kg	666.7	471.5	71	477.0	72	1		
Indeno(1,2,3-cd)pyrene	ug/kg	666.7	602.8	90	588.0	88	2		
Naphthalene	ug/kg	666.7	481.3	72	467.4	70	3		
Phenanthrene .	ug/kg	666.7	490.0	74	472.6	71	4		
Pyrene	ug/kg	666.7	545.1	82 -	536.8	80	2		
Nitrobenzene-d5 (S)				86		90			
2-Fluorobiphenyl (S)				6 8		74			
Terpheny1-d14 (S)				58		62			
Pheno1-d5 (S)				74		77			
2-Fluorophenol (S)				82		84			
2,4,6-Tribromophenol (S)				55		60			

Date: 03/30/01

Page: 14

REPORT OF LABORATORY ANALYSIS



Pace Analytical Services, Inc. 900 Gemini Avenue Houston, TX 77058

> Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: Client Project ID:

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND

Not Detected

NC

Not Calculable

PRL

Pace Reporting Limit

RPD

Relative Percent Difference

(S)

Surrogate

Date: 03/30/01

Page: 15

REPORT OF LABORATORY ANALYSIS



Pace Analytical Services, Inc. 900 Gemini Avenue Houston, TX 77058

> Phone: 281,488,1810 Fax: 281,488,4661

March 16, 2001

Mr. Dale Scherger Ferroalloys Association 12410 Willington Rd. Huntersville, NC 28078

RE: 1

Lab Project Number:

Client Project ID:



Dear Mr. Scherger:

Enclosed are the analytical results for sample(s) received by the laboratory on February 23, 2001. If you have any questions concerning this report, please feel free to contact me.

Sincerely.

Roy Quintanilla Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS



Pace Analytical Services, Inc. 900 Gemini Avenue

900 Gemini Avenue Houston, TX 77058

Phone: 281.488.1810 Fax: 281.488.4661

Ferroalloys Association 12410 Willington Rd. Huntersville, NC 28078 Lab Project Number: Client Project ID:

LDR PetitiON Sample A

Attn: Mr. Dale Scherger

Phone:

Solid results are reported on a wet weight basis

Lab Sample No: Client Sample ID:		Project Sample Number: Matrix: Soil					Date Collected: 02/21/01 00:00 Date Received: 02/23/01 09:05			
Parameters	Results	Units	PRL	Dilution	n Analyzed	Analys	t CAS#	Ftnote	Lim	
GC/MS Semivolatiles										
SW8270 Semivolatiles, Soil	Me	thod: EPA 82	70		Prep Method:	EPA 35	50			
Acenaphthene	ND	ug/kg	33300	100	03/05/01 14:52	2 DSHA	83-32-9			
Acenaphthylene	ND	ug/kg	33300	100	03/05/01 14:52	2 DSHA	208-96-8			
Anthracene	ND	ug/kg	33300	100	03/05/01 14:52	2 DSHA	120-12-7			
Benzo(a)anthracene	ND	ug/kg	33300	100	03/05/01 14:52	2 DSHA	56-55-3			
Benzo(b)fluoranthene	ND	ug/kg	33300	100	03/05/01 14:52		205-99-2			
Benzo(k)fluoranthene	ND	uġ/kg	33300	100	03/05/01 14:52		207-08-9			
Benzo(g,h,i)perylene	ND	ug/kg	33300	100	03/05/01 14:52		191-24-2			
Benzo(a)pyrene	ND	ug/kg	33300	100	03/05/01 14:52	2 DSHA	50-32-8			
Chrysene	ND	ug/kg	33300	100	03/05/01 14:52		218-01-9			
Dibenz(a,h)anthracene	ND	ug/kg	33300	100	03/05/01 14:52	2 DSHA	53-70-3			
Fluoranthene	ND	ug/kg	33300	100	03/05/01 14:52	2 DSHA	206-44-0			
Fluorene	ND	ug/kg	33300	100	03/05/01 14:5		86-73-7			
Indeno(1,2,3-cd)pyrene	ND	ug/kg	33300	100	03/05/01 14:5		193-39-5			
Naphthalene	ND	ug/kg	33300	100	03/05/01 14:5		91-20-3			
Phenanthrene	ND	ug/kg	33300	100	03/05/01 14:5	2 DSHA	85-01-8			
Pyrene	ND	ug/kg	33300	100	03/05/01 14:5	2 DSHA	129-00-0			
Nitrobenzene-d5 (S)	0	*		1.0	03/05/01 14:5	2 DSHA	4165-60-0			
2-Fluorobiphenyl (S)	0	*	*	1.0	03/05/01 14:5		321-60-8			
Terphenyl-d14 (S)	. 0	*		1.0	03/05/01 14:5		1718-51-0			
Pheno1-d5 (S)	´ 0	*		1.0	03/05/01 14:5		4165-62-2			
2-Fluorophenol (S)	0	*		1.0	03/05/01 14:5		367-12-4			
2,4,6-Tribromophenol (S)	0	x		1.0	03/05/01 14:5		118-79-6			
Date Extracted					03/01/01		•			

Comments : The sample extract could not be concentrated to the normal final volume for 8270. This results in elevated PRLs. Sample was diluted due to high concentrations of non-target compounds, resulting in higher PRL's and no surrogate recovery (SW8270).

Date: 03/16/01

Page: 1

REPORT OF LABORATORY ANALYSIS



LDR PetitiON SAMPLE A

Pace Analytical Services, Inc. 900 Gemini Avenue

Houston, TX 77058 Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: Client Project ID:

Lab Sample No:

Client Sample ID:

Project Sample Number:

Matrix: Soil

Date Collected: 02/21/01 00:00

Date Received: 02/23/01 09:05

Date: 03/16/01

Page: 2

REPORT OF LABORATORY ANALYSIS



LDR PetitiON Sample B

Pace Analytical Services, Inc. 900 Gemini Avenue Houston, TX 77058

> Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: 💹 Client Project ID:

Lab Sample No: Project Sample Number: 1 Date Collected: 02/21/01 00:00 Client Sample ID: Matrix: Soil Date Received: 02/23/01 09:05 **Parameters** Results Units PRL Ftnote Lii Dilution Anal yzed Analyst CAS#

GC/MS Semivolatiles							
SW8270 Semivolatiles, Soil	Me	ethod: EPA 82	70		Prep Method:	EPA 35	50
Acenaphthene	. ND	ug/kg	333000	1000	03/02/01 17:38	DSHA	83-32-9
Acenaphthylene	ND	ug/kg	333000	1000	03/02/01 17:38	DSHA	208-96-8
Anthracene	ND	ug/kg	333000	1000	03/02/01 17:38	DSHA	120-12-7
Benzo(a)anthracene	ND	ug/kg	333000	1000	03/02/01 17:38	DSHA	56-55-3
Benzo(b)fluoranthene	ND	ug/kg	333000 .	1000	03/02/01 17:38	DSHA	205-99-2
Benzo(k)fluoranthene	ND	ug/kg	333000	1000	03/02/01 17:38	DSHA	207-08-9
Benzo(g,h,i)perylene	ND	ug/kg	333000	1000	03/02/01 17:38	DSHA	191-24-2
Benzo(a)pyrene	ND	ug/kg	333000	1000	03/02/01 17:38	DSHA	50-32-8
Chrysene	ND	ug/kg	333000	1000	03/02/01 17:38	DSHA	218-01-9
Dibenz(a,h)anthracene	ND	ug/kg	333000	1000	03/02/01 17:38	DSHA	53-70-3
Fluoranthene	ND	ug/kg	333000	1000	03/02/01 17:38	DSHA	206-44-0
Fluorene	ND	ug/kg	333000	1000	03/02/01 17:38	DSHA	86-73-7
Indeno(1,2,3-cd)pyrene	ND	ug/kg	333000	1000	03/02/01 17:38	DSHA	193-39-5
Naphthalene	ND	ug/kg	333000	1000	03/02/01 17:38	DSHA	91-20-3
Phenanthrene	471000	ug/kg	333000	1000	03/02/01 17:38	DSHA	85-01-8
Pyrene	1950000	ug/kg	333000	1000	03/02/01 17:38	DSHA	129-00-0
Nitrobenzene-d5 (S)	0.	%		1.0	03/02/01 17:38	DSHA	4165-60-0
2-Fluorobiphenyl (S)	0	*		1.0	03/02/01 17:38	DSHA	321-60-8
Terpheny1-d14 (S)	0	X.	-	1.0	03/02/01 17:38	DSHA	1718-51-0
Pheno1-d5 (S)	0	X X		1.0	03/02/01 17:38	DSHA	4165-62-2
2-Fluorophenol (S)	0	*		1.0	03/02/01 17:38	DSHA	367-12-4
2.4.6-Tribromophenol (S)	0	*		1.0	03/02/01 17:38	DSHA	118-79-6
Date Extracted					03/01/01	,-,	

Comments: The sample extract could not be concentrated to the normal final volume for 8270. This results in elevated PRLs. Sample was diluted due to high concentrations of non-target compounds, resulting in higher PRL's and no surrogate recovery (SW8270).

Date: 03/16/01

Page: 3

REPORT OF LABORATORY ANALYSIS



LDR Petition Sample B

Pace Analytical Services, Inc. 900 Gemini Avenue Houston, TX 77058

> Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: Client Project ID:

PARAMETER FOOTNOTES

ND Not

Not Detected

NC PRL Not Calculable Pace Reporting Limit

(S)

Surrogate

Date: 03/16/01

Page: 4

REPORT OF LABORATORY ANALYSIS



QUALITY CONTROL DATA

Pace Analytical Services, Inc. 900 Gemini Avenue

Houston, TX 77058 Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: 8

Client Project ID: 1

QC Batch:

Analysis Method: EPA 8270

Associated Lab Samples:

QC Batch Method: EPA 3550

Analysis Description: SW8270 Semivolatiles, Soil

METHOD BLANK: 85

Associated Lab Samples:

		Method		
		B1 ank		
Parameter	Units	Result	PRL	Footnotes
Acenaphthene	ug/kg	ND	333	·····
Acenaphthylene	ug/kg	ND	333	
Anthracene	ug/kg	ND	333	
Benzo(a)anthracene	ug/kg	ND	333	
Benzo(b)fluoranthene	ug/kg	ND	333	
Benzo(k)fluoranthene	ug/kg	ND	333	
Benzo(g,h,i)perylene	ug/kg	ND	333	
Benzo(a)pyrene	ug/kg	ND	333	
Chrysene	ug/kg	ND	333	
Dibenz(a,h)anthracene	ug/kg	ND	333	
Fluoranthene	ug/kg	ND	33 3	
Fluorene	ug/kg	ND	333	
Indeno(1,2,3-cd)pyrene	ug/kg	ND	333	
Naphthalene	ug/kg	ND	333	•
Phenanthrene	ug/kg	ND	333	
Pyrene	ug/kg	ND	333	
Nitrobenzene-d5 (S)	*	87		
2-Fluorobiphenyl (S)	*	80		
Terphenyl-d14 (S)	*	84		
Phenol-d5 (S)	%	50		
2-Fluorophenol (S)	*	46		•
2.4,6-Tribromophenol (\$)	*	36		

LABORATORY CONTROL SAMPLE & LC	SD: 4	Salahan			 	Spike		
Parameter	Units	Spike Conc.	LCS Result	Spike % Rec	LCSD Result	Dup % Rec	RPD	Footnotes
Acenaphthene Acenaphthylene	ug/kg ug/kg	666.7 666.7	518.9 498.5	78 75	441.1 444.7	66 67	16 11	

Date: 03/16/01

Page: 5

REPORT OF LABORATORY ANALYSIS



QUALITY CONTROL DATA

Pace Analytical Services, Inc. 900 Gemini Avenue Houston, TX 77058

Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: -Client Project ID: 📲

LABORATORY CONTROL SAMPLE &	LCSD:				1	Spike		
		Spike	LCS	Spike	LCSD	Dup		
Parameter	Units	Conc.	Result	% Rec	Result	% Rec	RPD	Footnotes
Anthracene	ug/kg	666.7	485.7	73	453.6	68	 7	
Benzo(a)anthracene	ug/kg	666.7	487.7	73	488.9	73	0	
Benzo(b)fluoranthene	ug/kg	666.7	598.0	90	511.8	77	16	
Benzo(k)fluoranthene	ug/kg	666.7	656.1	98	533.9	80-	21	
Benzo(g.h.i)perylene	ug/kg	666.7	480.1	72	447.8	67	7	
Benzo(a)pyrene	ug/kg	666.7	472.3	71	537.5	81	13	
Chrysene	ug/kg	666.7	640.9	96	508.4	76	23	
Dibenz(a,h)anthracene	ug/kg	666.7	470.5	71	433.3	65	8	
Fluoranthene	ug/kg	666.7	425.3	64	415.4	62	2	
Fluorene	ug/kg	666.7	536.7	80	488.2	73	9	
Indeno(1,2,3-cd)pyrene	ug/kg	666.7	503.4	76	464.9	70	8	
Naphthalene	ug/kg	666.7	467.8	70	422.0	63	10	
Phenanthrene	ug/kg	666.7	515.3	77	520.7	78	1	
Pyrene	ug/kg	666.7	412.7	62	404.2	61	2	
Nitrobenzene-d5 (S)				105		90		
2-Fluorobiphenyl (S)				85		77		
Terphenyl-d14 (S)		-		86		82		
Pheno1-d5 (S)				53		53		
2-Fluorophenol (S)				51		51		
2,4,6-Tribromophenol (S)				69		66		

Date: 03/16/01

Page: 6

REPORT OF LABORATORY ANALYSIS



Pace Analytical Services, Inc.

900 Gemini Avenue Houston, TX 77058

Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: Client Project ID:

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND Not Detected

NC Not Calculable

PRL Pace Reporting Limit

RPD Relative Percent Difference

(S) Surrogate

Date: 03/16/01

Page: 7

REPORT OF LABORATORY ANALYSIS



Pace Analytical Services, Inc. 900 Gemini Avenue Houston, TX 77058

> Phone: 281,488,1810 Fax: 281,488,4661

February 20, 2001

Mr. Dale Scherger Scherger Associates 12410 Willington Rd. Huntersville, NC 28078

RE: Lab Project Number:

Client Project ID:

Roy auntaille

Dear Mr. Scherger:

Enclosed are the analytical results for sample(s) received by the laboratory on February 1, 2001. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Roy Quintanilla Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS



Pace Analytical Services, Inc.

900 Gemini Avenue Houston, TX 77058

Phone: 281.488.1810 Fax: 281.488.4661

Scherger Associates 12410 Willington Rd. Huntersville, NC 28078 Lab Project Number: 3 Client Project ID:

LDR PetitiON Sample WI

Attn: Mr. Dale Scherger Phone: 704-947-7050

Solid results are reported on a wet weight basis

Lab Sample No:		Project Samp					lected: 01/				
Client Sample ID:			Matrix: So		Date Received: 02/01/01 15:42						
Parameters	Results	Units	PRL	Dilution	Analyzed	Analys	t CAS#	Ftnote	Lim		
GC/MS Semivolatiles	1						***************************************				
SW8270 Semivolatiles, Soil	· Me	thod: EPA 82	70		Prep Metho	d: EPA 35	50				
Acenaphthene	ND	ug/kg	3270	9.8	02/17/01 06:	47 DSHA	83-32-9				
Acenaphthylene	ND	ug/kg	3270	9.8	02/17/01 06:	47 DSHA	208-96-8				
Anthracene	ND	ug/kg	3270	9.8	02/17/01 06:	47 DSHA	120-12-7				
Benzo(a)anthracene	ND	ug/kg	3270	9.8	02/17/01 06:	47 DSHA	56-55-3				
Benzo(b) fluoranthene	ND	ug/kg	3270	9.8	02/17/01 06:	47 DSHA	205-99-2				
Benzo(k)fluoranthene	ND	ug/kg	3270	9.8	02/17/01 06:	47 DSHA	207-08-9				
Benzo(g,h,i)perylene	ND	ug/kg	3270	9.8	02/17/01 06:	47 DSHA	191-24-2				
Benzo(a)pyrene	ND	ug/kg	3270	9.8	02/17/01 06:	47 DSHA	50-32-8				
Chrysene	ND	ug/kg	3270	9.8	02/17/01 06:	47 DSHA	218-01-9				
Dibenz(a.h)anthracene	ND	ug/kg	3270	9.8	02/17/01 06:	47 DSHA	53-70-3				
Fluoranthene	ND	ug/kg	3270	9.8	02/17/01 06:	47 DSHA	206-44-0				
Fluorene	· ND	ug/kg	3270	9.8	02/17/01 06:	47 DSHA	86-73-7				
Indeno(1,2,3-cd)pyrene	ND	ug/kg	3270	9.8	02/17/01 06:	47 DSHA	193-39-5				
Naphthalene	ND	ug/kg	3270	9.8	02/17/01 06:		91-20-3				
Phenanthrene	ND	ug/kg	3270	9.8	02/17/01 06:		85-01-8				
Pyrene	ND	ug/kg	3270	9.8	02/17/01 06:	47 DSHA	129-00-0				
Nitrobenzene-d5 (S)	0	*		1.0	02/17/01 06:		4165-60-0				
2-Fluorobiphenyl (S)	0	*		1.0	02/17/01 06:		321-60-8				
Terphenyl-d14 (S)	0	×		1.0	02/17/01 06:						
Pheno1-d5 (S)	0	*		1.0	02/17/01 06:		4165-62-2				
2-Fluorophenol (S)	0	×		1.0	02/17/01 06:						
2,4,6-Tribromophenol (S)	0	*		1.0	02/17/01 06:	47 DSHA	118-79-6				
Date Extracted					02/12/01						

Comments: The sample extract could not be concentrated to the normal final volume for 8270 sonication. This results in elevated PRLs and no surrogate recovery.

Date: 02/20/01

Page: 1

REPORT OF LABORATORY ANALYSIS



Pace Analytical Services, Inc.

900 Gemini Avenue Houston, TX 77058

Phone: 281,488,1810 Fax: 281,488,4661

Lab Project Number: 4

Client Project ID: 1

02/17/01 07:28

02/12/01

DSHA

118-79-6

Date Collected: 01/31/01 00:00 Lab Sample No: Project Sample Number: Client Sample ID: Matrix: Soil Date Received: 02/01/01 15:42 **Parameters** Results Units PRL Dilution Analyzed Anal yst CAS# Ftnote GC/MS Semivolatiles SW8270 Semivolatiles, Soil Method: EPA 8270 Prep Method: EPA 3550 Acenaphthene ND 3250 ug/kg 9.8 02/17/01 07:28 DSHA 83-32-9 Acenaphthyl ene ND 3250 ug/kg 9.8 02/17/01 07:28 DSHA 208-96-8 Anthracene ND ug/kg 3250 9.8 02/17/01 07:28 DSHA 120-12-7 Benzo(a)anthracene ND ug/kg 3250 02/17/01 07:28 DSHA 56-55-3 Benzo(b) fluoranthene 9.8 ND ug/kg 3250 02/17/01 07:28 DSHA 205-99-2 Benzo(k)fluoranthene 9.8 ND) ug/kg 3250 DSHA 02/17/01 07:28 207-08-9 Benzo(g,h,i)perylene ND ug/kg 3250 9.8 02/17/01 07:28 DSHA 191-24-2 Benzo(a)pyrene ND 3250 ug/kg 9.8 02/17/01 07:28 DSHA 50-32-8 Chrysene ND) ug/kg 3250 9.8 02/17/01 07:28 DSHA 218-01-9 Dibenz(a,h)anthracene ND 3250 ug/kg 9.8 02/17/01 07:28 DSHA 53-70-3 Fluoranthene ND ug/kg 3250 9.8 02/17/01 07:28 DSHA 206-44-0 Fluorene ND 3250 ug/kg 9.8 02/17/01 07:28 DSHA 86-73-7 Indeno(1,2,3-cd)pyrene ND ug/kg 3250 DSHA 02/17/01 07:28 193-39-5 Naphthalene ND ug/kg 3250 02/17/01 07:28 DSHA 91-20-3 Phenanthrene NO ug/kg 3250 9.8 02/17/01 07:28 DSHA 85-01-8 Pyrene ND ug/kg 3250 9.8 02/17/01 07:28 DSHA 129-00-0 Nitrobenzene-d5 (S) 0 X 02/17/01 07:28 DSHA 4165-60-0 1.0 2-Fluorobiphenyl (S) 0 * 321-60-8 02/17/01 07:28 DSHA 1.0 Terphenyl-d14 (S) X a 02/17/01 07:28 DSHA 1718-51-0 1.0 Pheno1-d5 (\$) % n DSHA 1.0 02/17/01 07:28 4165-62-2 2-Fluorophenol (S) n * 1.0 02/17/01 07:28 DSHA 367-12-4

Comments : The sample extract could not be concentrated to the normal final volume for 8270 sonication. This results in elevated PRLs and no surrogate recovery.

Date: 02/20/01

2,4,6-Tribromophenol (S)

Date Extracted

0

2

Page: 2

REPORT OF LABORATORY ANALYSIS



LDR Patition Sample W3

Pace Analytical Services, Inc. 900 Gemini Avenue

Houston, TX 77058

Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: Ellient Project ID:

Lab Sample No:

Project Sample Number: 8

Number: Matrix: Soil

Date Collected: 01/31/01 00:00

Date Received: 02/01/01 15:42

Parameters

Results

Units

PRL

Dilution

Anal yzed

Analyst

CAS#

Ftnote Lim

GC/MS Semivolatiles

Client Sample ID:

SW8270 Semivolatiles, Soil		Method: EPA 8270)		Prep Method:	EPA 35!	50
Acenaphthene	ND	ug/kg	3280	9.8	02/17/01 08:10	DSHA	83-32-9
Acenaphthylene	ND	ug/kg	3280	9.8	02/17/01 08:10	DSHA	208-96-8
Anthracene	3620	ug/kg	3280	9.8	02/17/01 08:10	DSHA	120-12-7
Benzo(a)anthracene	ND	ug/kg	3280	9.8	02/17/01 08:10	DSHA	56-55-3
Benzo(b)fluoranthene	ND	ug/kg	3280	9.8	02/17/01 08:10	DSHA	205-99-2
Benzo(k)fluoranthene	ND	ug/kg	3280	9.8	02/17/01 08:10	DSHA	207-08-9
Benzo(g,h,i)perylene	ND	ug/kg	3280	9.8	02/17/01 08:10	DSHA	191-24-2
Benzo(a)pyrene	ND	ug/kg	3280	9.8	02/17/01 08:10	DSHA	50-32-8
Chrysene	ND	ug/kg	3280	9.8	02/17/01 08:10	DSHA	218-01-9
Dibenz(a,h)anthracene	ND	ug/kg	3280	9.8	02/17/01 08:10	DSHA	53-70-3
Fluoranthene	ND	ug/kg	3280	9.8	02/17/01 08:10	DSHA	206-44-0
Fluorene	ND	ug/kg	3280	9.8	02/17/01 08:10	DSHA	86-73-7
Indeno(1,2,3-cd)pyrene	ND	ug/kg	3280	9.8	02/17/01 08:10	DSHA	193-39-5
Naphthalene	ND	ug/kg	3280	9.8	02/17/01 08:10	DSHA	91-20-3
Phenanthrene	6560	ug/kg	3280	9.8	02/17/01 08:10	DSHA	85-01-8
Pyrene	ND	ug/kg	3280	9.8	02/17/01 08:10	DSHA	129-00-0
Nitrobenzene-d5 (S)	0	* *		1.0	02/17/01 08:10	DSHA	4165-60-0
2-Fluorobiphenyl (S)	0	*		1.0	02/17/01 08:10	DSHA	321-60-8
Terphenyl-d14 (S)	0	*		1.0	02/17/01 08:10	DSHA	1718-51-0
Pheno1-d5 (S)	0	%		1.0	02/17/01 08:10	DSHA	4165-62-2
2-Fluorophenol (S)	0	*		1.0	02/17/01 08:10	DSHA	367-12-4
2,4,6-Tribromophenol (S)	0	*		1.0	02/17/01 08:10	DSHA	118-79-6
Date Extracted				*	02/12/01		

Comments: The sample extract could not be concentrated to the normal final volume for 8270 sonication. This results in elevated PRLs and no surrogate recovery.

Date: 02/20/01

Page: 3

REPORT OF LABORATORY ANALYSIS



Pace Analytical Services, Inc. 900 Gemini Avenue

Houston, TX 77058 Phone: 281.488.1810

Fax: 281.488.4661

Lab Project Number: 🛎 Client Project ID:



DSHA

DSHA

DSHA

1718-51-0

4165-62-2

367-12-4

DSHA 118-79-6

Date Collected: 01/31/01 00:00 Project Sample Number: 6 Lab Sample No: Date Received: 02/01/01 15:42 Matrix: Soil Client Sample ID: CAS# Ftnote Results Units PRL Dilution Anal yzed Analyst **Parameters** GC/MS Semivolatiles Prep Method: EPA 3550 SW8270 Semivolatiles, Soil Method: EPA 8270 02/17/01 06:05 DSHA 83-32-9 Acenaphthene ND 3260 9.8 ug/kg DSHA 208-96-8 Acenaphthylene 3260 9.8 02/17/01 06:05 ND ug/kg 120-12-7 DSHA Anthracene ND 3260 02/17/01 06:05 ug/kg 02/17/01 06:05 DSHA 56-55-3 Benzo(a)anthracene ND 3260 9.8 ug/kg 02/17/01 06:05 DSHA 205-99-2 9.8 Benzo(b) fluoranthene ND ug/kg 3260 DSHA 207-08-9 Benzo(k)fluoranthene ND ug/kg 3260 9.8 02/17/01 06:05 Benzo(g,h,i)perylene ND 3260 9.8 02/17/01 06:05 DSHA 191-24-2 ug/kg 50-32-8 ND 3260 98 02/17/01 06:05 DSHA Benzo(a)pyrene ug/kg DSHA 218-01-9 Chrysene ND ug/kg 3260 98 02/17/01 06:05 ND 3260 02/17/01 06:05 DSHA 53-70-3 Dibenz(a.h)anthracene ug/kg 206-44-0 ND 3260 02/17/01 06:05 DSHA Fluoranthene 9.8 ug/kg DSHA 86-73-7 3260 02/17/01 06:05 Fluorene ND ug/kg 9.8 Indeno(1,2,3-cd)pyrene ND 3260 02/17/01 06:05 DSHA 193-39-5 ug/kg DSHA 91-20-3 Naphthalene ND 3260 9.8 02/17/01 06:05 ug/kg DSHA 85-01-8 Phenanthrene ND 3260 02/17/01 06:05 ug/kg 9.8 DSHA 129-00-0 Pyrene ND ug/kg 3260 9.8 02/17/01 06:05 Nitrobenzene-d5 (S) 86 % 1.0 02/17/01 06:05 DSHA 4165-60-0 96 2-Fluorobiphenyl (S) % 02/17/01 06:05 DSHA 321-60-8

Comments: The sample extract could not be concentrated to the normal final volume for 8270 sonication. This results in elevated PRLs and no surrogate recovery.

88

64

53

102

z

X

%

ኔ

1.0

1.0

1.0

1.0

1.0

02/17/01 06:05

02/17/01 06:05

02/17/01 06:05

02/17/01 06:05

02/12/01

Date: 02/20/01

Terphenyl-d14 (S)

2-Fluorophenol (S)

2,4,6-Tribromophenol (S)

Pheno1-d5 (S)

Date Extracted

Page: 4

REPORT OF LABORATORY ANALYSIS



Pace Analytical Services, Inc. 900 Gemini Avenue Houston, TX 77058

> Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: Tient Project ID:

umber:

Lab Sample No:

Client Sample ID

Results

Project Sample Number: Client Sample Date Collected: 01/31/01 00:00

Matrix: Soil

Date Collected: 01/31/01 00:00

Date Received: 02/01/01 15:42

Parameters

Results

Units

PRL

Dilution Analyzed Analyst CAS# Ftnote Lim

GC/MS Semivolatiles

SW8270 Semivolatiles, Soil	4	Method: EPA 827	o [*]		Prep Method:	EPA 35	50
Acenaphthene	ND	ug/kg	3300	9.9	02/17/01 08:51	DSHA	83-32-9
Acenaphthylene	ND	ug/kg	3300	9.9	02/17/01 08:51	DSHA	208-96-8
Anthracene	ND	ug/kg	3300	9.9	02/17/01 08:51	DSHA	120-12-7
Benzo(a)anthracene	ND	ug/kg	3300	9.9	02/17/01 08:51	DSHA	56-55-3
Benzo(b)fluoranthene	ND	ug/kg	3300	9.9	02/17/01 08:51	DSHA	205-99-2
Benzo(k)fluoranthene	ND	ug/kg	3300	9.9	02/17/01 08:51	DSHA	207-08-9
Benzo(g,h,i)perylene	ND	ug/kg	3300	9.9	02/17/01 08:51	DSHA	191-24-2
Benzo(a)pyrene	ND	ug/kg	3300	9.9	02/17/01 08:51	DSHA	50-32-8
Chrysene	ND	ug/kg	3300	9.9	02/17/01 08:51	DSHA	218-01-9
Dibenz(a,h)anthracene	ND	. ug/kg	3300	9.9	02/17/01 08:51	DSHA	53-70-3
Fluoranthene	ND	ug/kg	3300	9.9	02/17/01 08:51	DSHA	206-44-0
Fluorene	ND	ug/kg	3300	9.9	02/17/01 08:51	DSHA	86-73-7
Indeno(1,2,3-cd)pyrene	ND	ug/kg	3300	9.9	02/17/01 08:51	DSHA	193-39-5
Naphthalene .	ND	ug/kg	3300	9.9	02/17/01 08:51	DSHA	91-20-3
Phenanthrene	5580	ug/kg	3300	9.9	02/17/01 08:51	DSHA	85-01-8
Pyrene	ND	ug/kg	3300	9.9	02/17/01 08:51	DSHA	129-00-0
Nitrobenzene-d5 (S)	` 0	x		1.0	02/17/01 08:51	DSHA	4165-60-0
2-Fluorobiphenyl (S)	0	*		1.0	02/17/01 08:51	DSHA	321-60-8
Terphenyl-d14 (S)	0	*	1	1.0	02/17/01 08:51	DSHA	1718-51-0
Pheno1-d5 (S)	0	*		1.0	02/17/01 08:51	DSHA	4165-62-2
2-Fluorophenol (S)	0	*		1.0	02/17/01 08:51	DSHA	367-12-4
2.4.6-Tribromophenol (S)	0	*		1.0	02/17/01 08:51	DSHA	118-79-6
Date Extracted					02/12/01		
Commonts . The commits automate							

Comments: The sample extract could not be concentrated to the normal final volume for 8270 sonication. This results in elevated PRLs and no surrogate recovery.

Date: 02/20/01

Page: 5

REPORT OF LABORATORY ANALYSIS



Pace Analytical Services, Inc. 900 Gemini Avenue Houston, TX 77058

> Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: 4 Client Project ID:

Lab Sample No:		Project Sample	Matrix: Soil		[/31/01 00:00 /01/01 15:42		
Parameters	Results	Units	PRL	Dilution	Analyzed	Anal ys	t CAS#	Ftnote	Lin
GC/MS Semivolatiles									
SW8270 Semivolatiles, Soil	М	ethod: EPA 827	0		Prep Method	: EPA 35	50		
Acenaphthene	ND	ug/kg	3310	9.9	02/17/01 09:3		83-32-9		
Acenaphthylene	ND	ug/kg	3310	9.9	02/17/01 09:3	3 DSHA	208-96-8		
Anthracene	ND	ug/kg	3310		02/17/01 09:3		120-12-7		
Benzo(a)anthracene	ND	ug/kg	3310	9.9	02/17/01 09:33	3 DSHA	56-55-3		
Benzo(b)fluoranthene	ND	ug/kg	3310	9.9	02/17/01 09:3	3 DSHA	205-99-2		
Benzo(k)fluoranthene	ND	ug/kg	3310	9.9	02/17/01 09:3	3 DSHA	207-08-9		
Benzo(g,h,i)perylene	ND	ug/kg	3310	9.9	02/17/01 09:3	3 DSHA	191-24-2		
Benzo(a)pyrene	ND	ug/kg	3310		02/17/01 09:3		50-32-8		
Chrysene	ND	ug/kg	3310	9.9	02/17/01 09:3	3 DSHA	218-01-9		
Dibenz(a,h)anthracene	ND	ug/kg	3310	9.9	02/17/01 09:3	3 DSHA	53-70-3		
Fluoranthene	ND	ug/kg	3310	9.9	02/17/01 09:3	3 DSHA	206-44-0		
Fluorene	ND	ug/kg	3310	9.9	02/17/01 09:3	3 DSHA	86-73-7		
Indeno(1,2,3-cd)pyrene	ND	ug/kg	3310	9.9	02/17/01 09:3	3 DSHA	193-39-5		
Naphthalene	ND	ug/kg	3310	9.9	02/17/01 09:3	3 DSHA	91-20-3		
Phenanthrene	5620	ug/kg	3310	9.9	02/17/01 09:3	3 DSHA	85-01-8		
Pyrene	ND	ug/kg	3310	9.9	02/17/01 09:3	3 DSHA	129-00-0		
Nitrobenzene-d5 (S)	0	*		1.0	02/17/01 09:3	3 DSHA	4165-60-0		
2-Fluorobiphenyl (S)	0	%		1.0	02/17/01 09:3	3 DSHA	321-60-8		
Terphenyl-d14 (S)	0	*		1.0	02/17/01 09:3	3 DSHA	1718-51-0		
Pheno1-d5 (S)	0	*		1.0	02/17/01 09:3		4165-62-2		
2-Fluorophenol (S)	0	*		1.0	02/17/01 09:3		367-12-4		
2.4.6-Tribromophenol (S)	0	*		1.0	02/17/01 09:3		118-79-6		
Date Extracted					02/12/01				

Comments : The sample extract could not be concentrated to the normal final volume for 8270 sonication. This results in elevated PRLs and no surrogate recovery.

Date: 02/20/01

Page: 6

REPORT OF LABORATORY ANALYSIS



Pace Analytical Services, Inc. 900 Gemini Avenue Houston, TX 77058

> Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: Client Project ID:

Lab Sample No:

Client Sample ID:

Project Sample Number:

Matrix: Soil

Date Collected: 01/31/01 00:00

Date Received: 02/01/01 15:42

Parameters

Results

Units

PRL

Dilution Analyzed Analyst CAS# Ftnote Limi

GC/MS Semivolatiles

SW8270 Semivolatiles, Soil	Me	ethod: EPA 827	0		Prep Method:	EPA 35	50
Acenaphthene	ND	ug/kg	3290	9.9	02/17/01 10:14	DSHA	83-32-9
Acenaphthylene	ND	ug/kg	3290	9.9	02/17/01 10:14	DSHA	208-96-8
Anthracene	ND	ug/kg	3290	9.9	02/17/01 10:14	DSHA	120-12-7
Benzo(a)anthracene	ND	ug/kg	3290	9.9	02/17/01 10:14	DSHA	56-55-3
Benzo(b)fluoranthene	ND	ug/kg	3290	9.9	02/17/01 10:14	DSHA	205-99-2
Benzo(k)fluoranthene	ND	ug/kg	3290	9.9	02/17/01 10:14	DSHA	207-08-9
Benzo(g.h.i)perylene	ND	ug/kg	3290	9.9	02/17/01 10:14	DSHA	191-24-2
Benzo(a)pyrene	ND	ug/kg	3290	9.9	02/17/01 10:14	DSHA	50-32-8
Chrysene	ND	ug/kg	3290	9.9	02/17/01 10:14	DSHA	218-01-9
Dibenz(a,h)anthracene	ND	ug/kg	3290	9.9	02/17/01 10:14	DSHA	53-70-3
Fluoranthene	ND	ug/kg	3290	9.9	02/17/01 10:14	DSHA	206-44-0
Fluorene	ND	ug/kg	3290	9.9	02/17/01 10:14	DSHA	86-73-7
Indeno(1,2,3-cd)pyrene	ND	ug/kg	3290	9.9	02/17/01 10:14	DSHA	193-39-5
Naphthalene	ND	ug/kg	3290	9.9	02/17/01 10:14	DSHA	91-20-3
Phenanthrene	ND	ug/kg	3290	9.9	02/17/01 10:14	DSHA	85-01-8
Pyrene	. ND	ug/kg	3290	9.9	02/17/01 10:14	DSHA	129-00-0
Nitrobenzene-d5 (S)	0	*		1.0	02/17/01 10:14	DSHA	4165-60-0
2-Fluorobiphenyl (S)	0	X		1.0	02/17/01 10:14	DSHA	321-60-8
Terphenyl-d14 (S)	0	*		1.0	02/17/01 10:14	DSHA	1718-51-0
Phenol-d5 (S)	0	% .		1.0	02/17/01 10:14	DSHA	4165-62-2
2-Fluorophenol (S)	0	*	•	1.0	02/17/01 10:14	DSHA	367-12-4
2,4,6-Tribromophenol (S)	0	%		1.0	02/17/01 10:14	DSHA	118-79-6
Date Extracted					02/12/01		
Commander 72					_		

Comments: The sample extract could not be concentrated to the normal final volume for $8\bar{2}70$ sonication. This results in elevated PRLs and no surrogate recovery.

Date: 02/20/01

Page: 7

REPORT OF LABORATORY ANALYSIS



LDR PetitiON W8

Pace Analytical Services, Inc. 900 Gemini Avenue Houston, TX 77058

> Phone: 281.488.1810 Fax: 281.488.4661

> > Li

Lab Project Number: # Client Project ID: 1

02/17/01 15:05

02/12/01

DSHA

118-79-6

Lab Sample No: Project Sample Number: 3 Date Collected: 01/31/01 00:00 Client Sample ID: 🕊 Matrix: Soil Date Received: 02/01/01 15:42 **Parameters** Results Units PRL Dilution Anal yzed CAS# Ftnote Analyst GC/MS Semivolatiles SW8270 Semivolatiles, Soil Method: EPA 8270 Prep Method: EPA 3550 Acenaphthene ND 3320 ug/kg 10.0 02/17/01 15:05 DSHA 83-32-9 Acenaphthylene ND. ug/kg 3320 10.0 02/17/01 15:05 DSHA 208-96-8 Anthracene ND 3320 ug/kg 10.0 02/17/01 15:05 DSHA 120-12-7 Benzo(a)anthracene ND ug/kg 3320 10.0 02/17/01 15:05 DSHA 56-55-3 Benzo(b) fluoranthene ND ug/kg 3320 10.0 02/17/01 15:05 DSHA 205-99-2 Benzo(k)fluoranthene ND ug/kg 3320 10.0 02/17/01 15:05 DSHA 207-08-9 Benzo(g,h,i)perylene ND 3320 10.0 02/17/01 15:05 ug/kg DSHA 191-24-2 Benzo(a)pyrene ND ug/kg 3320 10.0 02/17/01 15:05 DSHA 50-32-8 Chrysene ND 3320 ug/kg 10.0 02/17/01 15:05 DSHA 218-01-9 Dibenz(a.h)anthracene ND 3320 10.0 ug/kg 02/17/01 15:05 DSHA 53-70-3 Fluoranthene ND ug/kg 3320 10.0 02/17/01 15:05 DSHA 206-44-0 Fluorene ND ug/kg 3320 10 0 02/17/01 15:05 DSHA 86-73-7 Indeno(1,2,3-cd)pyrene ND uq/kq 3320 10.0 02/17/01 15:05 DSHA 193-39-5 Naphthalene 3320 ND ug/kg 10.0 02/17/01 15:05 DSHA 91-20-3 Phenanthrene ND ug/kg 3320 10.0 02/17/01 15:05 DSHA 85-01-8 Pyrene ND ug/kg 3320 10.0 02/17/01 15:05 DSHA 129-00-0 Nitrobenzene-d5 (S) 0 * 1.0 02/17/01 15:05 DSHA 4165-60-0 2-Fluorobiphenyl (S) 0 % 1.0 02/17/01 15:05 DSHA 321-60-8 Terphenyl-d14 (S) O % 1.0 02/17/01 15:05 DSHA 1718-51-0 Pheno1-d5 (S) 0 ٠% 1.0 DSHA 02/17/01 15:05 4165-62-2 2-Fluorophenol (S) % O 1.0 02/17/01 15:05 DSHA 367-12-4

Comments : The sample extract could not be concentrated to the normal final volume for 8270 sonication. This results in elevated PRLs and no surrogate recovery.

O

%

Date: 02/20/01

2,4,6-Tribromophenol (S)

Date Extracted

Page: 8

REPORT OF LABORATORY ANALYSIS



Pace Analytical Services, Inc. 900 Gemini Avenue

900 Gemini Avenue Houston, TX 77058

Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: 4 Client Project ID: 3

PARAMETER FOOTNOTES

ND Not Detected NC Not Calculable

PRL Pace Reporting Limit

(S) Surrogate

Date: 02/20/01

Page: 9

REPORT OF LABORATORY ANALYSIS



QUALITY CONTROL DATA

Pace Analytical Services, Inc. 900 Gemini Avenue Houston, TX 77058

> Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: 📹

Client Project ID: 🖛

QC Batch Method: EPA 3550

Analysis Description: SW8270 Semivolatiles, Soil

METHOD BLANK: 851676946 Associated Lab Samples

Analysis Method: EPA 8270

Associated Lab Samples:

QC Batch: 🚄

ASSOCIATED Lab Samples:							
		Method		V	0034		
		Blank					
Parameter	Units	Result	PRL	Footnotes			
Acenaphthene	ug/kg	ND ND	333				
Acenaphthylene	ug/kg	ND:	333				
Anthracene	ug/kg	ND	333				-
Benzo(a)anthracene	ug/kg	ND	333				
Benzo(b)fluoranthene	ug/kg	ND	333				
Benzo(k)fluoranthene	ug/kg	ND	333			`	
Benzo(g,h,i)perylene	ug/kg	ND	333			ر	
Benzo(a)pyrene	ug/kg	ND	333				
Chrysene	ug/kg	ND	333				
Dibenz(a,h)anthracene	ug/kg	ND	333				
Fluoranthene	ug/kg	ND	333				
Fluorene	ug/kg	ND	333				
Indeno(1,2,3-cd)pyrene	ug/kg	ND	333				
Naphthalene	ug/kg	ND	333				
Phenanthrene	ug/kg	ND	333				
Pyrene	ug/kg	ND	333				•
Nitrobenzene-d5 (S)	*	102					
2-Fluorobiphenyl (S)	*	106					
Terphenyl-d14 (S)	*	108					
Pheno1-d5 (S)	%	76					
2-Fluorophenol (S)	*	72		•			
2.4.6-Tribromophenol (S)	% .	121					

Date: 02/20/01

Page: 10

REPORT OF LABORATORY ANALYSIS




QUALITY CONTROL DATA

Pace Analytical Services, Inc. 900 Gemini Avenue Houston, TX 77058

> Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: 🛦



LABORATORY CONTROL SAMPLE &	LUSU:	Cnike	" Tourney LCC		1,000	Spike		
Damamatan.	11-24	Spike	LCS	Spike	LCSD	Dup		
Parameter	Units	Conc.	Result	% Rec	Result	% Rec	RPD	Footnote
Acenaphthene	ug/kg	666.7	611.9	92	676.1	101	10	
Acenaphthylene	ug/kg	666.7	583.3	88	636.8	96	9	
Anthracene	ug/kg	666.7	633.9	95	638.0	96	1	
Benzo(a)anthracene	ug/kg	666.7	698.5	105	677.7	102	3	
Benzo(b)fluoranthene	ug/kg	666.7	725.0	109	676.9	102	7	
Benzo(k)fluoranthene	ug/kg	666.7	768.5	115	676.9	102	13	
Benzo(g,h,i)perylene	ug/kg	666.7	609.7	92	529.9	80	14	
Benzo(a)pyrene	ug/kg	666.7	643.7	97	653.7	98	2	
Chrysene	ug/kg	666.7	665.8	100	633.9	95	5	
Dibenz(a,h)anthracene	ug/kg	666.7	573.6	86	501.2	75	13	•
Fluoranthene	ug/kg	666.7	681.7	102	724.9	109	6	
Fluorene	ug/kg	666.7	592.6	89	650.0	98	9	
Indeno(1,2,3-cd)pyrene	ug/kg	666.7	633.0	9 5	562.0	84	12	
Naphthalene	ug/kg	666.7	596.4	90	558.1	84	7	
Phenanthrene	ug/kg	666.7	659.9	99	660.8	99	0	
Pyrene	ug/kg	666.7	738.9	111	771.2	116	4	
Nitrobenzene-d5 (S)				119		118		
2-Fluorobiphenyl (S)				104	٠	103		
Terphenyl-d14 (S)				99		98		
Phenol-d5 (S)				97		71		
2-Fluorophenol (S)				77		64		
2.4.6-Tribromophenol (S)				92		105		

Date: 02/20/01

Page: 11

REPORT OF LABORATORY ANALYSIS



Pace Analytical Services, Inc. 900 Gemini Avenue Houston, TX 77058

> Phone: 281.488.1810 Fax: 281.488.4661

Lab Project Number: Client Project ID: The Pro

QUALITY CONTROL DATA PARAMETER FOOTNOTES

Consistent with EPA guidelines unrounded concentrations are displayed and have been used to calculate % Rec and RPD values.

ND Not Detected

NC.

Not Calculable

PRL

Pace Reporting Limit

RPD

Relative Percent Difference

(S)

Surrogate

Date: 02/20/01

Page: 12

REPORT OF LABORATORY ANALYSIS